



US00D686062S

(12) **United States Design Patent**  
**Thompson**

(10) **Patent No.:** **US D686,062 S**  
(45) **Date of Patent:** **\*\* Jul. 16, 2013**

- (54) **BEAM CLAMP**
- (71) Applicant: **William J. Thompson**, Newport Beach, CA (US)
- (72) Inventor: **William J. Thompson**, Newport Beach, CA (US)
- (73) Assignee: **Tomarco Contractor Specialties, Inc.**, La Mirada, CA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/434,095**
- (22) Filed: **Oct. 9, 2012**
- (51) **LOC (9) Cl.** ..... **08-08**
- (52) **U.S. Cl.**  
USPC ..... **D8/394**; D8/395
- (58) **Field of Classification Search**  
USPC .... D8/354, 356, 371, 394-396, 370; D19/65, D19/86; D24/128; 248/74.2, 215, 227.1, 248/49, 300, 301, 316.7, 51, 489, 302; 24/570, 24/3.12, DIG. 9, 546; D3/203.2, 203.3; D21/392; D11/209; 256/47, 65, 65.01, 71  
See application file for complete search history.

5,996,955	A *	12/1999	Chen	.....	248/302
6,135,693	A *	10/2000	Leitzke et al.	.....	411/530
D434,309	S *	11/2000	Kalat	.....	D8/395
D488,996	S *	4/2004	DeBiasio, Jr.	.....	D8/370
D499,008	S *	11/2004	Chang	.....	D8/370
D499,956	S *	12/2004	Wall	.....	D8/370
D518,364	S *	4/2006	DeBiasio, Jr.	.....	D8/370
D552,980	S *	10/2007	Svedberg	.....	D8/395
D559,079	S *	1/2008	Berry et al.	.....	D8/343
D566,538	S *	4/2008	Wrase et al.	.....	D8/395
D600,102	S *	9/2009	Larkin	.....	D8/370
D607,314	S *	1/2010	Caniparoli	.....	D8/395
D645,731	S *	9/2011	Williams	.....	D8/370
D649,441	S *	11/2011	Griffin	.....	D8/370
D672,227	S *	12/2012	Hendricks	.....	D8/394
D672,228	S *	12/2012	Hendricks	.....	D8/394
D673,031	S *	12/2012	Hendricks et al.	.....	D8/394
2006/0016943	A1 *	1/2006	Thompson	.....	248/175
2007/0261330	A1 *	11/2007	Liu	.....	52/235

\* cited by examiner

Primary Examiner — John Windmuller


(57) **CLAIM**  
The ornamental design for a beam clamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a left side view of the beam clamp of the claimed design.  
 FIG. 2 is a front view of the beam clamp of the claimed design.  
 FIG. 3 is a back view of the beam clamp of the claimed design.  
 FIG. 4 is a right side view of the beam clamp of the claimed design.  
 FIG. 5 is a top view of the beam clamp of the claimed design; and,  
 FIG. 6 is a bottom view of the beam clamp of the claimed design.  
 The broken lines in the figures depict environment only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS
- |           |     |         |                  |       |            |
|-----------|-----|---------|------------------|-------|------------|
| D41,493   | S * | 6/1911  | Schade           | ..... | D8/395     |
| D46,621   | S * | 11/1914 | Schade           | ..... | D8/395     |
| D57,995   | S * | 5/1921  | Schade           | ..... | D28/39     |
| 1,999,218 | A * | 4/1935  | Tiryakian        | ..... | 248/304    |
| 3,069,739 | A * | 12/1962 | Jorgenson et al. | ..... | 24/129 R   |
| 3,578,226 | A * | 5/1971  | Good             | ..... | 294/137    |
| 4,174,552 | A * | 11/1979 | Franklin         | ..... | 24/716     |
| D310,955  | S * | 10/1990 | Platten          | ..... | D8/382     |
| 5,236,163 | A * | 8/1993  | Valiulis         | ..... | 248/220.41 |
| D354,355  | S * | 1/1995  | Hilgers          | ..... | D24/180    |
| 5,662,446 | A * | 9/1997  | Haan             | ..... | 411/514    |
| D385,303  | S * | 10/1997 | Anders           | ..... | D19/65     |






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6