



US00D686076S

(12) **United States Design Patent**  
**Traxler**

(10) **Patent No.:** **US D686,076 S**

(45) **Date of Patent:** **\*\* Jul. 16, 2013**

(54) **SPOUT**

(76) Inventor: **Michael Traxler**, Simi Valley, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/415,425**

(22) Filed: **Mar. 9, 2012**

(51) **LOC (9) Cl.** ..... **09-07**

(52) **U.S. Cl.**  
USPC ..... **D9/447**

(58) **Field of Classification Search**  
USPC ..... D9/453, 449, 447, 440, 436, 435,  
D9/434; D7/398, 397; 222/570, 569  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,867,060	A *	7/1932	Carr	222/570
1,952,288	A *	3/1934	Saxon	222/569
2,071,638	A *	2/1937	Lauterbach	222/569
2,106,381	A *	1/1938	Rough	222/570
D156,082	S *	11/1949	Ferguson	D9/447
2,627,367	A *	2/1953	Bork	222/570
2,636,650	A *	4/1953	Marrier	222/570
2,646,193	A *	7/1953	Best	222/570
2,657,838	A *	11/1953	Kramer et al.	222/569
2,765,966	A *	10/1956	Davis	222/570
2,767,891	A *	10/1956	Beadles	222/570
3,074,604	A *	1/1963	Baroud	222/569
3,102,667	A *	9/1963	Ullevig	222/569
D197,444	S *	2/1964	West	D9/447
3,400,867	A *	9/1968	Giannone	222/570
D222,439	S *	10/1971	Hano	D9/447
3,695,488	A *	10/1972	Olsson	222/570
D229,675	S *	12/1973	Kuncz	D9/447
3,853,249	A *	12/1974	Weir et al.	222/570
D241,623	S *	9/1976	Meeks	D9/447
4,299,340	A *	11/1981	Hrytzak	222/189.07

D283,492	S *	4/1986	Nitsch	D9/436
D296,080	S *	6/1988	Conte	D9/434
D322,221	S *	12/1991	Neff	D9/435
5,195,662	A *	3/1993	Neff	222/108
D377,900	S *	2/1997	Ford	D9/435
D382,801	S *	8/1997	Samson	D9/435

(Continued)

*Primary Examiner* — Susan Bennett Hattan

(74) *Attorney, Agent, or Firm* — Marc E. Hankin; Kevin Schraven; Hankin Patent Law, APC

(57) **CLAIM**

The ornamental design for a spout, as shown and described.

**DESCRIPTION**

FIG. 1 is an illustration of a front perspective view of the spout engaged with a can.

FIG. 2 is an illustration of back perspective view of the spout engaged with a can.

FIG. 3 is an illustration of a front plan view of the spout.

FIG. 4 is an illustration of a top plan view of the spout.

FIG. 5 is an illustration of a back plan view of the spout.

FIG. 6 is an illustration of side plan view of the spout.

FIG. 7 is an illustration of another side plan view of the spout.


FIG. 8 is an illustration of a bottom plan view of the spout; and,

FIG. 9 is an illustration of perspective view of the spout engaged with a can and showing the spout and can being tipped.

The broken line portion of the figure drawings is included to show unclaimed subject matter only and forms no part of the claimed design.

The spout is designed to fit with a liquid container, such as a paint can, and allow a user to smoothly and neatly pour the liquid from the container.

**1 Claim, 5 Drawing Sheets**



# US D686,076 S

Page 2

---

U.S. PATENT DOCUMENTS		7,360,673 B2 *	4/2008	Abrahams	.....	222/571
D456,259 S *	4/2002 Groenewald	.....	D9/447	D654,360 S	2/2012	Traxler
D494,868 S *	8/2004 Walsh et al.	.....	D9/516	* cited by examiner		




FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5



**FIG. 6**



**FIG. 7**



**FIG. 8**




FIG. 9