



US00D686148S

(12) **United States Design Patent**
Inaba

(10) **Patent No.:** **US D686,148 S**
(45) **Date of Patent:** **** Jul. 16, 2013**

- (54) **BATTERY**
- (75) Inventor: **Takuya Inaba**, Tokyo (JP)
- (73) Assignee: **Sony Corporation**, Tokyo (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/421,432**
- (22) Filed: **Jul. 26, 2012**

Related U.S. Application Data

- (63) Continuation of application No. 29/371,693, filed on Jul. 18, 2011, now Pat. No. Des. 666,148, which is a continuation of application No. 29/347,470, filed on Jan. 29, 2010, now Pat. No. Des. 642,980.

Foreign Application Priority Data

- (30) Dec. 24, 2009 (JP) D2009-029882
- Dec. 24, 2009 (JP) D2009-029883
- Dec. 24, 2009 (JP) D2009-029884
- Dec. 24, 2009 (JP) D2009-029885
- Dec. 24, 2009 (JP) D2009-029886
- Dec. 24, 2009 (JP) D2009-029887
- Jan. 4, 2010 (CN) 2010 3 0001413


- (51) **LOC (9) Cl.** **13-02**
- (52) **U.S. Cl.**
USPC **D13/103**
- (58) **Field of Classification Search**
USPC D13/102-108, 110, 118-121, 184,
D13/199; 429/96-100, 163, 176
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,225,655 A 9/1980 Pesce
- D284,463 S 7/1986 Perkins et al.
- D300,022 S 2/1989 Shaper
- D339,100 S 9/1993 Ansell et al.
- D340,907 S 11/1993 Smith et al.
- 5,317,462 A 5/1994 Kakizaki et al.
- D350,110 S 8/1994 Johnson

- D356,994 S 4/1995 Tamaki
- 5,415,947 A 5/1995 Mitsui et al.
- D361,310 S 8/1995 Kawamura
- D362,839 S 10/1995 Tamaki
- D363,055 S 10/1995 Kobayashi et al.
- D369,778 S 5/1996 Tamaki
- D372,247 S 7/1996 Beaumont
- D377,477 S 1/1997 Harata et al.
- D392,614 S 3/1998 Shimizu et al.
- D409,975 S 5/1999 Zeller
- D423,449 S 4/2000 Naskali
- D424,013 S 5/2000 Curtis
- D432,982 S 10/2000 Miyashita
- D444,448 S 7/2001 Robinson et al.
- D446,183 S 8/2001 Miyashita
- D446,766 S 8/2001 Han et al.
- D458,217 S 6/2002 Hawk
- D461,163 S 8/2002 Hirano et al.
- D469,059 S 1/2003 Ando et al.
- D474,149 S * 5/2003 Kawahata et al. D13/103
- D477,815 S 7/2003 Gillingham et al.
- D485,530 S 1/2004 Ogasawara
- D496,332 S 9/2004 Naito
- D496,333 S 9/2004 Nan
- D497,350 S 10/2004 Ichitsubo et al.
- 6,824,916 B2 11/2004 Vine
- D503,149 S 3/2005 Teramae et al.
- D503,922 S 4/2005 Shimizu
- D504,109 S 4/2005 Hagman et al.
- D509,182 S * 9/2005 Takeshita et al. D13/103
- D515,027 S 2/2006 Groh et al.
- D515,499 S 2/2006 Matsuda et al.
- D516,503 S 3/2006 Takeshita et al.
- D529,437 S 10/2006 Miyashita
- D530,663 S 10/2006 Curello et al.
- D531,117 S 10/2006 Schrick et al.
- D538,222 S 3/2007 Curello et al.
- D548,684 S 8/2007 Eto et al.
- D554,579 S 11/2007 Ogasawara
- D555,587 S 11/2007 Yamamoto et al.
- D562,226 S 2/2008 Uehlein-Proctor et al.
- D568,841 S 5/2008 Fischer et al.
- D578,472 S 10/2008 Morishita et al.
- D580,353 S 11/2008 Harrison et al.
- D581,867 S 12/2008 Crawford et al.
- D590,334 S 4/2009 Tatehata et al.
- D590,335 S 4/2009 Tatehata et al.
- D590,336 S 4/2009 Tatehata et al.
- D590,337 S 4/2009 Tatehata et al.
- D590,769 S 4/2009 Tatehata et al.
- D592,130 S 5/2009 Tatehata et al.
- D594,402 S * 6/2009 Inoue et al. D13/103
- D601,494 S * 10/2009 Otani et al. D13/103



| | | | | |
|--------------|----|-----------|-----------------|---------|
| D604,695 | S | 11/2009 | Aglassinger | |
| D610,083 | S | 2/2010 | Chen et al. | |
| D610,538 | S | 2/2010 | Wu et al. | |
| D614,126 | S | 4/2010 | Chen | |
| D618,171 | S | * 6/2010 | Tatehata et al. | D13/119 |
| D635,512 | S | * 4/2011 | Tatehata et al. | D13/119 |
| D642,980 | S | * 8/2011 | Inaba | D13/119 |
| D644,988 | S | * 9/2011 | Finney et al. | D13/103 |
| D645,814 | S | * 9/2011 | Otani et al. | D13/103 |
| D646,222 | S | * 10/2011 | Tatehata et al. | D13/103 |
| D669,427 | S | * 10/2012 | Ignor et al. | D13/103 |
| D674,333 | S | * 1/2013 | Lemelman et al. | D13/103 |
| 2006/0281002 | A1 | 12/2006 | Aoki et al. | |
| 2008/0166628 | A1 | 7/2008 | Kim et al. | |
| 2006/0305367 | | 12/2008 | Baek et al. | |

FOREIGN PATENT DOCUMENTS

| | | | |
|----|----------|---|---------|
| JP | D1141456 | S | 5/2002 |
| JP | D1141463 | S | 5/2002 |
| JP | D1141663 | S | 5/2002 |
| JP | D1141664 | S | 5/2002 |
| JP | D1141665 | S | 5/2002 |
| JP | D1161022 | S | 12/2002 |
| JP | D1161024 | S | 12/2002 |
| JP | D1161237 | S | 12/2002 |
| JP | D1161239 | S | 12/2002 |
| JP | D1161241 | S | 12/2002 |
| JP | D1199833 | S | 2/2004 |
| JP | D1245492 | S | 7/2005 |
| JP | D1247044 | S | 8/2005 |
| JP | D1247046 | S | 8/2005 |
| JP | D1247048 | S | 8/2005 |
| JP | D1247518 | S | 8/2005 |
| JP | D1355276 | S | 4/2009 |

OTHER PUBLICATIONS

Webpage, "Battery," http://www.kohls.com/upgrade/webstore/zoom_popup.jsp?productId=845524892463327 (cited in Office Action mailed by Japan Patent Office ("JPO") assigned as JPO Design Division Prior Art Document No. HJ20072657 received by the JPO on Mar. 23, 2009) (Mar. 2009).

* cited by examiner

Primary Examiner — Rosemary K Tarcza
(74) *Attorney, Agent, or Firm* — Rader, Fishman & Grauer PLLC

(57) **CLAIM**

The ornamental design for a battery, as shown.

DESCRIPTION

FIG. 1 is a front, top, right perspective view of a first embodiment of a battery showing my new design;
 FIG. 2 is a rear, top, right perspective view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a top plan view thereof; and
 FIG. 8 is a bottom plan view thereof.
 FIG. 9 is a front, top, right perspective view of a second embodiment of a battery showing my new design;
 FIG. 10 is a rear, top, right perspective view thereof;
 FIG. 11 is a front elevational view thereof;
 FIG. 12 is a rear elevational view thereof;
 FIG. 13 is a left side elevational view thereof;
 FIG. 14 is a right side elevational view thereof;
 FIG. 15 is a top plan view thereof; and
 FIG. 16 is a bottom plan view thereof.

FIG. 17 is a front, top, right perspective view of a third embodiment of a battery showing my new design;
 FIG. 18 is a rear, top, right perspective view thereof;
 FIG. 19 is a front elevational view thereof;
 FIG. 20 is a rear elevational view thereof;
 FIG. 21 is a left side elevational view thereof;
 FIG. 22 is a right side elevational view thereof;
 FIG. 23 is a top plan view thereof; and
 FIG. 24 is a bottom plan view thereof.
 FIG. 25 is a front, top, right perspective view of a fourth embodiment of a battery showing my new design;
 FIG. 26 is a rear, top, right perspective view thereof;
 FIG. 27 is a front elevational view thereof;
 FIG. 28 is a rear elevational view thereof;
 FIG. 29 is a left side elevational view thereof;
 FIG. 30 is a right side elevational view thereof;
 FIG. 31 is a top plan view thereof; and
 FIG. 32 is a bottom plan view thereof.
 FIG. 33 is a front, top, right perspective view of a fifth embodiment of a battery showing my new design;
 FIG. 34 is a rear, top, right perspective view thereof;
 FIG. 35 is a front elevational view thereof;
 FIG. 36 is a rear elevational view thereof;
 FIG. 37 is a left side elevational view thereof;
 FIG. 38 is a right side elevational view thereof;
 FIG. 39 is a top plan view thereof; and
 FIG. 40 is a bottom plan view thereof.
 FIG. 41 is a front, top, right perspective view of a sixth embodiment of a battery showing my new design;
 FIG. 42 is a rear, top, right perspective view thereof;
 FIG. 43 is a front elevational view thereof;
 FIG. 44 is a rear elevational view thereof;
 FIG. 45 is a left side elevational view thereof;
 FIG. 46 is a right side elevational view thereof;
 FIG. 47 is a top plan view thereof; and
 FIG. 48 is a bottom plan view thereof.
 FIG. 49 is a front, top, right perspective view of a seventh embodiment of a battery showing my new design;
 FIG. 50 is a rear, top, right perspective view thereof;
 FIG. 51 is a front elevational view thereof;
 FIG. 52 is a rear elevational view thereof;
 FIG. 53 is a left side elevational view thereof;
 FIG. 54 is a right side elevational view thereof;
 FIG. 55 is a top plan view thereof; and
 FIG. 56 is a bottom plan view thereof.
 FIG. 57 is a front, top, right perspective view of an eighth embodiment of a battery showing my new design;
 FIG. 58 is a rear, top, right perspective view thereof;
 FIG. 59 is a front elevational view thereof;
 FIG. 60 is a rear elevational view thereof;
 FIG. 61 is a left side elevational view thereof;
 FIG. 62 is a right side elevational view thereof;
 FIG. 63 is a top plan view thereof; and
 FIG. 64 is a bottom plan view thereof.
 FIG. 65 is a front, top, right perspective view of still a ninth embodiment of a battery showing my new design;
 FIG. 66 is a rear, top, right perspective view thereof;
 FIG. 67 is a front elevational view thereof;
 FIG. 68 is a rear elevational view thereof;
 FIG. 69 is a left side elevational view thereof;
 FIG. 70 is a right side elevational view thereof;
 FIG. 71 is a top plan view thereof; and
 FIG. 72 is a bottom plan view thereof.
 FIG. 73 is a front, top, right perspective view of a tenth embodiment of a battery showing my new design;
 FIG. 74 is a rear, top, right perspective view thereof;
 FIG. 75 is a front elevational view thereof;

FIG. **76** is a rear elevational view thereof;
FIG. **77** is a left side elevational view thereof;
FIG. **78** is a right side elevational view thereof;
FIG. **79** is a top plan view thereof; and,

FIG. **80** is a bottom plan view thereof.

1 Claim, 60 Drawing Sheets




FIG.1

FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7





FIG.8






FIG.9

FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15





FIG. 16






FIG.17

FIG.18




FIG.19




FIG.20




FIG.21




FIG.22




FIG.23





FIG.24






FIG.25

FIG.26




FIG.27




FIG.28




FIG.29




FIG.30




FIG.31





FIG.32






FIG.33

FIG.34




FIG.35




FIG.36




FIG.37




FIG.38




FIG.39





FIG.40






FIG.41

FIG.42




FIG.43




FIG.44




FIG.45




FIG.46



FIG.47





FIG.48






FIG.49

FIG.50




FIG.51




FIG.52




FIG. 53




FIG. 54




FIG.55





FIG.56






FIG.57

FIG.58




FIG.59




FIG.60




FIG.61




FIG.62




FIG.63





FIG.64






FIG.65

FIG. 66




FIG.67




FIG.68




FIG.69




FIG.70




FIG.71





FIG.72






FIG.73

FIG. 74




FIG.75




FIG.76




FIG.77




FIG.78




FIG.79




FIG.80

