



US00D686152S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D686,152 S**
(45) **Date of Patent:** **** Jul. 16, 2013**

(54) **BATTERY**

(75) Inventors: **Jeong-Seop Lee**, Yongin-si (KR);
Myung-Sook Kwon, Yongin-si (KR);
Sang-Jin Park, Yongin-si (KR); **Nam Sunwoo**, Seoul (KR)

(73) Assignee: **Samsung SDI Co., Ltd.**, Yongin-si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/428,745**

(22) Filed: **Aug. 2, 2012**

(30) **Foreign Application Priority Data**

Jun. 7, 2012 (KR) 30-2012-0027967

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103; D13/108**

(58) **Field of Classification Search**
USPC D13/102–108, 110, 118–121, 184,
D13/199; 429/96–100, 163, 176
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D246,240 S *	11/1977	Hansen	D13/103
5,901,056 A *	5/1999	Hung	363/142
D509,181 S *	9/2005	Nellenbach et al.	D13/103
D555,586 S *	11/2007	McConnell	D13/103
D556,678 S *	12/2007	Weinstein et al.	D13/103
D556,679 S *	12/2007	Weinstein et al.	D13/103
D570,772 S *	6/2008	Mahaffey et al.	D13/110
7,746,029 B2 *	6/2010	Toya	320/107
D628,535 S *	12/2010	Cheng	D13/108
D639,736 S *	6/2011	Su	D13/110

D663,684 S *	7/2012	Yang	D13/108
D663,685 S *	7/2012	Yang	D13/108
D674,748 S *	1/2013	Ferber et al.	D13/108

FOREIGN PATENT DOCUMENTS

JP	1365084 S	7/2009
KR	30-0495139 S	6/2008
KR	30-0620732 S	11/2011
KR	30-0630328 S	2/2012

OTHER PUBLICATIONS

Website: "Primo Power Core Battery Pack for iPad, iPhone, Galaxy Tab, Andorid Tablets and Phones", phonesuit, <http://www.phonesuit.com/primo-power-core-battery-pack-for-tablets-phones/>, printed Oct. 24, 2012, (1 page).
English machine translation of Bibliographic Data and Drawings for Japanese Design Registration 1365084 listed above, (6 pages).

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Christie, Parker & Hale, LLP

(57) **CLAIM**

The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery showing our new design;
FIG. 2 is a front elevational view of the battery;
FIG. 3 is a rear elevational view of the battery;
FIG. 4 is a left side view of the battery;
FIG. 5 is a right side view of the battery;
FIG. 6 is a top view of the battery;
FIG. 7 is a bottom view of the battery; and,
FIG. 8 is a reference view of the battery, in which a rear cover of the battery has slid down.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

