



US00D686205S

(12) **United States Design Patent**
Akana et al.

(10) **Patent No.:** **US D686,205 S**
(45) **Date of Patent:** **** Jul. 16, 2013**

(54) **ELECTRONIC DEVICE** 361/679.09, 679.11, 679.26, 679.27, 679.49,
679.55; 715/783

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

See application file for complete search history.

(72) Inventors: **Jody Akana**, San Francisco, CA (US);
Julian Hoenig, San Francisco, CA (US);
Richard P. Howarth, San Francisco, CA
(US); **Jonathan P. Ive**, San Francisco,
CA (US); **Duncan Robert Kerr**, San
Francisco, CA (US); **Matthew Dean
Rohrbach**, San Francisco, CA (US);
Mikael Silvano, San Francisco, CA
(US); **Christopher J. Stringer**,
Woodside, CA (US); **Eugene Antony
Whang**, San Francisco, CA (US); **Peter
Russell-Clarke**, San Francisco, CA
(US); **Bartley K. Andre**, Menlo Park,
CA (US); **Jeremy Bataillou**, San
Francisco, CA (US); **Daniel J. Coster**,
San Francisco, CA (US); **Daniele De
Iuliis**, San Francisco, CA (US); **Rico
Zörkendörfer**, San Francisco, CA (US);
M. Evans Hankey, San Francisco, CA
(US)

(56)

References Cited

U.S. PATENT DOCUMENTS

6,038,128	A	3/2000	Hood et al.	
6,067,224	A	5/2000	Nobuchi	
D431,821	S	10/2000	Mizuno	
D493,785	S	8/2004	Andre et al.	
D517,063	S	3/2006	Nakajima et al.	
D523,429	S	6/2006	Lin	
D524,306	S	7/2006	Yun et al.	
D526,999	S	8/2006	Tago	
D533,550	S	12/2006	Yamada	
D571,364	S	6/2008	Andre et al.	
D572,246	S	7/2008	Andre et al.	
7,426,113	B2	9/2008	Ikeno et al.	
D604,290	S	11/2009	Andre et al.	
D604,291	S	11/2009	Andre et al.	
D604,292	S	11/2009	Andre et al.	
D604,293	S	11/2009	Andre et al.	
D606,988	S	12/2009	Andre et al.	
D606,989	S	12/2009	Andre et al.	
D611,045	S	3/2010	Andre et al.	
D617,789	S	6/2010	Akana et al.	
D621,825	S	8/2010	Andre et al.	
D623,645	S	9/2010	Andre et al.	
D633,087	S	2/2011	Andre et al.	
D642,172	S	7/2011	Akana et al.	
D642,560	S	8/2011	Akana et al.	
D648,333	S	11/2011	Andre et al.	
D648,334	S	11/2011	Andre et al.	
D652,032	S	1/2012	Akana et al.	
D655,704	S	3/2012	Akana et al.	
D657,786	S	4/2012	Andre et al.	
D661,296	S	6/2012	Akana et al.	
D662,497	S	6/2012	Akana et al.	
D676,438	S *	2/2013	Akana et al.	D14/318
2005/0018396	A1	1/2005	Nakajima et al.	
2005/0041378	A1	2/2005	Hamada et al.	
2008/0074833	A1	3/2008	Chien et al.	
2009/0040708	A1	2/2009	Tatsukami et al.	

* cited by examiner

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/443,007**

(22) Filed: **Jan. 11, 2013**

Related U.S. Application Data

(63) Continuation of application No. 29/420,873, filed on
May 14, 2012, now Pat. No. Des. 676,438.


(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/318**

(58) **Field of Classification Search**
USPC ... D14/315-327; D18/1, 2, 7, 11; 235/145 A,
235/145 R; 341/22, 23; 345/104, 156, 157,
345/168, 169, 173; 348/373; 361/679.5, 679.08,

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw Group



(57)

CLAIM

The ornamental design for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a first embodiment of an electronic device showing our new design;
FIG. 2 is a bottom, rear perspective thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a bottom view thereof;
FIG. 9 is a top, front perspective view of a second embodiment of an electronic device showing our new design;
FIG. 10 is a bottom, rear perspective thereof;
FIG. 11 is a front view thereof;
FIG. 12 is a rear view thereof;
FIG. 13 is a left side view thereof;
FIG. 14 is a right side view thereof;
FIG. 15 is a top view thereof;
FIG. 16 is a bottom view thereof;

FIG. 17 is a top, front perspective view of a third embodiment of an electronic device showing our new design;
FIG. 18 is a bottom, rear perspective thereof;
FIG. 19 is a front view thereof;
FIG. 20 is a rear view thereof;
FIG. 21 is a left side view thereof;
FIG. 22 is a right side view thereof;
FIG. 23 is a top view thereof;
FIG. 24 is a bottom view thereof;
FIG. 25 is a top, front perspective view of a fourth embodiment of an electronic device showing our new design;
FIG. 26 is a bottom, rear perspective thereof;
FIG. 27 is a front view thereof;
FIG. 28 is a rear view thereof;
FIG. 29 is a left side view thereof;
FIG. 30 is a right side view thereof;
FIG. 31 is a top view thereof; and,
FIG. 32 is a bottom view thereof.

The broken lines are for the purpose of illustrating portions of the electronic device and form no part of the claimed design. The relatively light gray shade lines on the surface portions indicate contour and not surface decoration.

1 Claim, 20 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




FIG. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32