



US00D686528S

(12) **United States Design Patent**  
**Paik et al.**

(10) **Patent No.:** **US D686,528 S**  
(45) **Date of Patent:** **\*\* Jul. 23, 2013**

(54) **FEMALE RECEPTACLE OF Y BUCKLE**

(56) **References Cited**

(76) Inventors: **Jisook Paik**, Seoul (KR); **Nan Hee Paik**,  
Seoul (KR); **Ji Hye Paik**, Seoul (KR); **Ji**  
**Won Son**, Seoul (KR)

U.S. PATENT DOCUMENTS

D619,042 S *	7/2010	Uehara	.....	D11/216
D619,496 S *	7/2010	Paik	.....	D11/216
D625,226 S *	10/2010	Pontaoe	.....	D11/216
D671,444 S *	11/2012	Paik et al.	.....	D11/216

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/424,894**

*Primary Examiner* — Ralf Seifert

(22) Filed: **Jun. 17, 2012**

(74) *Attorney, Agent, or Firm* — Novick, Kim & Lee, PLLC;  
Jae Youn Kim

(30) **Foreign Application Priority Data**

(57) **CLAIM**

We claim, the ornamental design for a female receptacle of Y buckle, as shown and described.

Jan. 17, 2012 (KR) ..... 30-2012-0002434

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **02-07**

FIG. 1 is a perspective view of a female receptacle of Y buckle, showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof; and,  
FIG. 8 is a cross sectional view taken along the line 8-8 of FIG. 2.

(52) **U.S. Cl.**

USPC ..... **D11/216**

(58) **Field of Classification Search**

USPC ..... D11/1-2, 200-201, 206-210, 214-218;  
24/163 R, 169-171, 173, 177-179, 191,  
194-195, 197, 200, 614-616, 625, 198

See application file for complete search history.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6



FIG. 7




FIG. 8

