



US00D686750S

(12) **United States Design Patent**
Kroeplien et al.

(10) **Patent No.:** **US D686,750 S**
(45) **Date of Patent:** **** Jul. 23, 2013**

(54) **APPARATUS AND SYSTEM FOR PROVIDING
SECURE STORAGE**

(75) Inventors: **Joshua J. Kroeplien**, Sun Prairie, WI
(US); **Theodore A. Sempf**, Sun Prairie,
WI (US)

(73) Assignee: **Trachte Building Systems, Inc.**, Sun
Prairie, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/395,738**

(22) Filed: **Mar. 20, 2012**

(51) **LOC (9) Cl.** **25-03**

(52) **U.S. Cl.**
USPC **D25/33**

(58) **Field of Classification Search**
USPC D25/1-33; D21/834; 52/79.1, 79.4,
52/652.1, DIG. 10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,905,167	A *	9/1975	Watkins et al.	52/79.4
4,493,118	A *	1/1985	Braxton	4/460
D405,540	S *	2/1999	Maple	D25/16
D487,807	S *	3/2004	Graham	D25/33
D487,931	S *	3/2004	Graham	D25/33
D643,542	S *	8/2011	Lucht	D25/33
D653,354	S *	1/2012	Uffner et al.	D25/32
D662,221	S *	6/2012	Small	D25/16
D662,222	S *	6/2012	Donnelly et al.	D25/33
D666,738	S *	9/2012	McKimmy et al.	D25/33
2006/0016134	A1 *	1/2006	Luchinger et al.	52/79.1

* cited by examiner

Primary Examiner — Eric Goodman

(74) *Attorney, Agent, or Firm* — Board & Clark LLP; Joseph
W. Byrne

(57) **CLAIM**

The ornamental design for an apparatus and system for providing secure storage, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a first embodiment of an apparatus and system for providing secure storage in accordance with our new design;
 FIG. 2 is a front elevation view of the apparatus and system providing secure storage shown in FIG. 1;
 FIG. 3 is a rear elevation view of the apparatus and system for providing secure storage shown in FIG. 1;
 FIG. 4 is a top plan view of the apparatus and system for providing secure storage shown in FIG. 1;
 FIG. 5 is a right side elevation view of the apparatus and system for providing secure storage shown in FIG. 1;
 FIG. 6 is a left side elevation view of the apparatus and system for providing secure storage shown in FIG. 1;
 FIG. 7 is a top, front and right side perspective view of a second embodiment of an apparatus and system for providing secure storage in accordance with our new design;
 FIG. 8 is a front elevation view of the apparatus and system for providing secure storage shown in FIG. 7;
 FIG. 9 is a rear elevation view of the apparatus and system for providing secure storage shown in FIG. 7;
 FIG. 10 is a top plan view of the apparatus and system for providing secure storage shown in FIG. 7;
 FIG. 11 is a right side elevation view of the apparatus and system for providing secure storage shown in FIG. 7; and,
 FIG. 12 is a left side elevation view of the apparatus and system for providing secure storage shown in FIG. 7.


The bottoms of the apparatuses and systems for providing secure storage do not comprise any portion of the invention, and hence are not shown in the drawings.

The apparatuses and systems for providing secure storage are shown broken away in the drawings to indicate that no particular length, width or depth is claimed.

The broken line showings in the drawings are for illustrative purposes only and form no part of the claimed design.

In addition, the surface shading illustrated in the drawings is provided merely to highlight the contour of the design; it is not intended to be illustrative of texture or gloss.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

FIG. 12