



US00D686779S

(12) **United States Design Patent**
Williams

(10) **Patent No.:** **US D686,779 S**
(45) **Date of Patent:** **** Jul. 23, 2013**

(54) **TRIGGER GUARD RECOIL FINGER CUSHION**

(71) Applicant: **David E. Williams**, Fayetteville, GA (US)

(72) Inventor: **David E. Williams**, Fayetteville, GA (US)

(73) Assignee: **Creative South, Inc.**, Fayetteville, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/445,853**

(22) Filed: **Feb. 18, 2013**

(51) **LOC (9) Cl.** **02-06**

(52) **U.S. Cl.**
USPC **D29/114**

(58) **Field of Classification Search**
USPC D29/100, 101.1, 113, 114, 120.1,
D29/122; 2/455, 456, 16, 20, 21, 161.5, 162,
2/163, 170, 910
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,389,237	A *	11/1945	Petrullo	294/25
2,506,666	A *	5/1950	Graham	131/256
2,882,528	A *	4/1959	Tassie	2/21
D300,910	S *	5/1989	Buford	D11/2
5,048,186	A *	9/1991	Lamb et al.	30/233
D334,085	S *	3/1993	Niemann	D29/113
D363,146	S *	10/1995	Pando	D29/113
D373,225	S *	8/1996	Theroux et al.	D29/114
D373,656	S *	9/1996	Sorrels	D29/114

D385,666	S *	10/1997	Abreu	D29/113
6,094,747	A *	8/2000	Malick	2/159
D461,283	S *	8/2002	Sams	D29/114
D465,306	S *	11/2002	Price	D29/114
D528,249	S *	9/2006	Gazau	D29/113
D546,954	S *	7/2007	Takasaka	D24/190
D565,740	S *	4/2008	Sybrandts	D24/209
D624,190	S *	9/2010	Neri	D24/189
D640,835	S *	6/2011	Logan	D29/114
D651,356	S *	12/2011	Logan et al.	D29/114
D657,095	S *	4/2012	Logan	D29/114
D658,302	S *	4/2012	Nixon	D24/190
D675,382	S *	1/2013	Eugene et al.	D29/114
2005/0193465	A1 *	9/2005	Salvitti	2/161.5

* cited by examiner

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Rodgers & Rodgers

(57) **CLAIM**

The ornamental design for a trigger guard recoil finger cushion, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a trigger guard recoil finger cushion showing my new design;

FIG. 2 is a front elevational view thereof, the rear being a mirror image thereof;

FIG. 3 is a right-side elevational view thereof;


FIG. 4 is a left-side elevational view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

The broken lines of a hand and finger in FIG. 1 illustrate environment and form no part of the claimed design. The dotted lines on the trigger guard recoil finger cushion in FIGS. 1-6 represents a textured surface.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6