



US00D686906S

(12) **United States Design Patent**  
**Vick et al.**

(10) **Patent No.:** **US D686,906 S**  
(45) **Date of Patent:** **\*\* Jul. 30, 2013**

- (54) **STRAP CONNECTOR**
- (71) Applicant: **Southern Bracing Systems Enterprises, LLC**, Armuchee, GA (US)
- (72) Inventors: **Wayne E. Vick**, Armuchee, GA (US); **David W. Vick**, Armuchee, GA (US); **Clayton D. Vick**, Rome, GA (US); **Joseph David Hawks**, Powder Springs, GA (US); **Eddie R. Shockley**, Kingston, GA (US); **John Forcier**, Rome, GA (US)
- (73) Assignee: **Southern Bracing Systems Enterprises, LLC**, Armuchee, GA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/437,586**
- (22) Filed: **Nov. 19, 2012**
- (51) **LOC (9) Cl.** ..... **08-05**
- (52) **U.S. Cl.**  
USPC ..... **D8/356**
- (58) **Field of Classification Search**  
USPC .. D8/356, 367, 354, 349, 394, 373; D24/128; D25/99; 24/455; 248/62, 63, 65, 74.1, 74.2, 248/75, 313, 316.1, 229.26; D11/218  
See application file for complete search history.

- (56) **References Cited**  
**U.S. PATENT DOCUMENTS**  
77,918 A 5/1868 Roland  
278,097 A \* 5/1883 Collins ..... 24/129 B  
761,038 A 5/1904 Edgerton  
873,445 A 12/1907 Maltby  
2,224,773 A 12/1940 Shaulson  
2,260,060 A 10/1941 Shaulson  
2,269,696 A 1/1942 Shaulson  
3,173,539 A 3/1965 Looker  
3,478,394 A 11/1969 Davis



- 4,470,176 A 9/1984 Vermeulen et al.
  - D284,299 S \* 6/1986 Auerbach et al. .... D22/143
  - 5,242,237 A 9/1993 Wagner
  - D347,989 S \* 6/1994 DeWard ..... D8/358
  - 5,632,068 A 5/1997 Riley et al.
  - D389,286 S 1/1998 Celestina-Krevh et al.
  - 5,733,004 A 3/1998 Celestina-Krevh et al.
  - 5,772,371 A 6/1998 Ackerman
  - D567,769 S \* 4/2008 Sinai ..... D13/173
  - D584,596 S \* 1/2009 Doverspike ..... D8/354
  - D591,200 S 4/2009 Freeman
  - 7,549,262 B2 \* 6/2009 Roessett et al. .... 52/746.11
- (Continued)

*Primary Examiner* — Cynthia Underwood  
(74) *Attorney, Agent, or Firm* — Kilpatrick Stockton & Townsend LLP

(57) **CLAIM**  
The ornamental design for a strap connector, as shown and described.

**DESCRIPTION**  
FIG. 1 is a top plan view of a strap connector.  
FIG. 2 is a front elevation view of the strap connector of FIG. 1, the rear elevation view being identical to the front elevation view.  
FIG. 3 is a right side elevation view of the strap connector of FIG. 1, the left side elevation view being identical to the right side elevation view.  
FIG. 4 is a bottom plan view of the strap connector of FIG. 1.  
FIG. 5 is a perspective view of the strap connector of FIG. 1; and,  
FIG. 6 is a perspective view of the strap connector of FIG. 1, shown reduced in scale for ease of illustration and in an unclaimed environment of use with other strap connectors and straps.  
The broken lines are included for illustrative purposes only and form no part of the claim.

**1 Claim, 4 Drawing Sheets**



# US D686,906 S

Page 2

---

## U.S. PATENT DOCUMENTS

D619,097 S *	7/2010	McCarthy .....	D13/152	D667,719 S *	9/2012	Wong .....	D8/356
D651,503 S *	1/2012	Ellis .....	D8/349	D676,310 S *	2/2013	Lowrance .....	D8/356
8,127,407 B2	3/2012	Wong et al.					

\* cited by examiner




FIG. 3




FIG. 1






FIG. 2



**FIG. 4**






FIG. 6