



US00D687122S

(12) **United States Design Patent**
Simmons

(10) **Patent No.:** **US D687,122 S**
(45) **Date of Patent:** **** Jul. 30, 2013**

(54) **FISHING LURE WITH FIN**

(71) Applicant: **David L. Simmons**, Sevierville, TN
(US)

(72) Inventor: **David L. Simmons**, Sevierville, TN
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/435,249**

(22) Filed: **Oct. 22, 2012**

(51) **LOC (9) Cl.** **22-05**

(52) **U.S. Cl.**
USPC **D22/144**

(58) **Field of Classification Search**

USPC D22/126–133, 144–145; 43/43.2,
43/44.81, 44.8, 42.39, 42.37, 44.4, 42.4,
43/42.44, 42.45, 42.43, 42.53, 42.28, 42.33,
43/42.47, 42.22, 42.36, 42.49

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,542,447 A * 2/1951 Adam et al. 43/42.47
4,044,491 A * 8/1977 Potter 43/42.22

(Continued)

Primary Examiner — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — Knox Patents; Thomas A.
Kulaga

(57) **CLAIM**

The ornamental design for a fishing lure with a fin, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of one embodiment of a fishing
lure with a fin.

FIG. 2 is a right side view thereof, the left side view being a
mirror image of the right side.

FIG. 3 is a top view thereof.

FIG. 4 is a bottom view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a rear view thereof.

FIG. 7 is a perspective view of a fishing lure with a fin and a
pair of eyelets.

FIG. 8 is a perspective view of a second embodiment of a
fishing lure with a fin that has an opening.

FIG. 9 is a right side view of the fishing lure of FIG. 8, the left
side view being a mirror image of the right side.

FIG. 10 is a top view of the fishing lure of FIG. 8.

FIG. 11 is a bottom view of the fishing lure of FIG. 8.

FIG. 12 is a front view of the fishing lure of FIG. 8.

FIG. 13 is a rear view of the fishing lure of FIG. 8.

FIG. 14 is a perspective view of a third embodiment of a
fishing lure with a fin.

FIG. 15 is a right side view of the fishing lure of FIG. 14, the
left side view being a mirror image of the right side.

FIG. 16 is a top view of the fishing lure of FIG. 14.

FIG. 17 is a bottom view of the fishing lure of FIG. 14.

FIG. 18 is a front view of the fishing lure of FIG. 14.

FIG. 19 is a rear view of the fishing lure of FIG. 14.

FIG. 20 is a perspective view of a fourth embodiment of a
fishing lure with a fin, the other views of the fourth embodi-
ment are similar to FIGS. 15–19 except that the body has a
circular profile viewed from the side instead of an oblong
profile.

FIG. 21 is a perspective view of a fifth embodiment of a
fishing lure with a fin that has an opening.

FIG. 22 is a right side view of the fishing lure of FIG. 21, the
left side view being a mirror image of the right side.

FIG. 23 is a top view of the fishing lure of FIG. 21.

FIG. 24 is a bottom view of the fishing lure of FIG. 21.

FIG. 25 is a front view of the fishing lure of FIG. 21.

FIG. 26 is a rear view of the fishing lure of FIG. 21.

FIG. 27 is a perspective view of a sixth embodiment of a
fishing lure with a fin that has an opening to accommodate a
link between the hook and leader line.

FIG. 28 is a right side view of the fishing lure of FIG. 27, the
left side view being a mirror image of the right side.

FIG. 29 is a top view of the fishing lure of FIG. 27.


FIG. 30 is a bottom view of the fishing lure of FIG. 27.

FIG. 31 is a front view of the fishing lure of FIG. 27; and,

FIG. 32 is a rear view of the fishing lure of FIG. 27.

The broken lines and the trapezoidal patterns are for illustra-
tive purposes only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



US D687,122 S

Page 2

U.S. PATENT DOCUMENTS				D396,261 S *	7/1998	Duncan	D22/126
D281,898 S *	12/1985	Shiverdecker	D22/132	D488,206 S *	4/2004	Becker	D22/126
4,893,431 A *	1/1990	Ehlers	43/42.47	D523,108 S *	6/2006	Stacey	D22/133
D388,496 S *	12/1997	Reiger	D22/126	* cited by examiner			




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6







Fig. 7






Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25







Fig. 26






Fig. 30




Fig. 31




Fig. 32