



US00D687190S

(12) **United States Design Patent**
Isobe

(10) **Patent No.:** **US D687,190 S**
(45) **Date of Patent:** **** Jul. 30, 2013**

(54) **LOWER PART OF A HELMET SHIELD**

(71) Applicant: **Eiji Isobe**, Taito-ku (JP)
(72) Inventor: **Eiji Isobe**, Taito-ku (JP)
(73) Assignee: **Shoei Co., Ltd.**, Tokyo (JP)
(**) Term: **14 Years**

(21) Appl. No.: **29/441,214**
(22) Filed: **Jan. 2, 2013**

(30) **Foreign Application Priority Data**

Aug. 1, 2012 (JP) 2012-018330

(51) **LOC (9) Cl.** **29-02**
(52) **U.S. Cl.**
USPC **D29/122**

(58) **Field of Classification Search**
USPC D29/100, 104, 105, 106, 107, 108,
D29/109, 110, 122; D24/110.1, 110.2, 110.3;
2/9, 410, 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 7, 8.1-8.8,
2/424, 425, 12, 15, 426, 427, 429, 430, 431,
2/432, 433, 434, 435, 452, 206, 906, 173;
128/201.24, 201.15, 857, 858
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,790,328	A *	1/1931	Savage	2/12
D181,750	S *	12/1957	Reed	D29/110
D206,620	S *	1/1967	Hoffman	D29/110
D214,013	S *	5/1969	Jones	D29/110
3,594,816	A *	7/1971	Webb et al.	2/10
D291,256	S *	8/1987	Hollander	D29/110
D373,223	S *	8/1996	Pernicka et al.	D29/110
D380,873	S *	7/1997	Reuber	D29/110
D454,667	S *	3/2002	Chartrand et al.	D29/110
D569,557	S *	5/2008	Cho	D29/122

D597,709	S *	8/2009	Juhlin	D29/122
D602,648	S *	10/2009	Isobe	D29/122
D612,544	S *	3/2010	Brace et al.	D29/122
D616,155	S *	5/2010	Juhlin	D29/122
D645,211	S *	9/2011	Hill	D29/110
D662,261	S *	6/2012	Klotz et al.	D29/109
D668,001	S *	9/2012	Juhlin et al.	D29/122
D669,639	S *	10/2012	Klotz et al.	D29/110
D674,150	S *	1/2013	Juhlin et al.	D29/122
D675,786	S *	2/2013	Klotz et al.	D29/110

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC


(57) **CLAIM**

The ornamental design for a lower part of a helmet shield, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a lower part of a helmet shield showing my new design, with the lower part attached to the helmet shield shown in broken lines;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a left side view thereof;
 FIG. 4 is a right side view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a cross-sectional view taken along lines 7-7 of FIG. 1;
 FIG. 8 is an enlarged view of the bottom of the cross-sectional view in FIG. 7;
 FIG. 9 is a perspective view of the lower part of the helmet shield of FIG. 1, attached to a helmet shown in broken lines; and,
 FIG. 10 is a right side perspective view of FIG. 1.
 The broken lines shown in the drawings represent portions of the lower part of a helmet shield that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D687,190 S

Page 2

U.S. PATENT DOCUMENTS

D675,787 S *	2/2013	Klotz et al.	D29/110	D677,008 S *	2/2013	Klotz et al.	D29/110
D675,788 S *	2/2013	Klotz et al.	D29/110	2008/0141443 A1 *	6/2008	Arai	2/424

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10