



US00D687582S

(12) **United States Design Patent**
Kawase et al.

(10) **Patent No.:** **US D687,582 S**
(45) **Date of Patent:** **** Aug. 6, 2013**

(54) **FLASHLIGHT**

(75) Inventors: **Tomonori Kawase**, Aichi (JP);
Kazunori Tsuge, Aichi (JP)

(73) Assignee: **Makita Corporation**, Anjo-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/414,080**

(22) Filed: **Feb. 24, 2012**

(30) **Foreign Application Priority Data**

Oct. 6, 2011 (JP) 2011-022979

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/44**

(58) **Field of Classification Search**
USPC . D26/37, 38, 44, 45, 46, 49, 50, 51; 362/157,
362/158, 183, 184, 194–199, 202–208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D375,570 S *	11/1996	Hayakawa et al.	D26/44
D413,994 S *	9/1999	Clowers et al.	D26/44
D427,346 S *	6/2000	Schoen	D26/45
D427,697 S *	7/2000	Brazell et al.	D26/42
D428,175 S *	7/2000	Lynch et al.	D26/44
D467,375 S *	12/2002	Lynch et al.	D26/44
D507,371 S *	7/2005	Heun	D26/44
D524,957 S *	7/2006	Lobert et al.	D26/28
D539,457 S *	3/2007	Kokawa	
D549,373 S *	8/2007	Osiecki et al.	D26/44
D552,279 S *	10/2007	Osiecki et al.	D26/44
D552,280 S *	10/2007	Osiecki et al.	D26/44
D553,775 S *	10/2007	Lobert et al.	D26/42
D564,113 S *	3/2008	Yuen	D26/42
D599,926 S *	9/2009	Schoch	D26/45

D603,540 S *	11/2009	Shum et al.	D26/45
D604,876 S *	11/2009	Chadwick	D26/44
D657,901 S *	4/2012	Cheung Shing Hei	D26/45
D662,241 S *	6/2012	Tschopp	D26/45

FOREIGN PATENT DOCUMENTS

JP	1059660	2/2000
JP	1411546	4/2011
JP	1413673	5/2011

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Posz Law Group, PLC


(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of top, front, and right side of a flashlight showing our new design;
FIG. 2 is a left side view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is an alternate perspective view of the flashlight of FIG. 1; and,
FIG. 9 is an alternate perspective view of the flashlight of FIG. 1 with the flashlight head shown in a rotated position with detachable battery and hanger for shown in broken line for environmental purposes.
The broken line showing is for environmental purposes only and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9