



US00D687604S

(12) **United States Design Patent**  
**Bryan et al.**

(10) **Patent No.:** **US D687,604 S**

(45) **Date of Patent:** **\*\* Aug. 6, 2013**

(54) **HEADGEAR VISOR**

(75) Inventors: **John E. Bryan**, Union City, CA (US);  
**Teresa A. Bryan**, Union City, CA (US)

(73) Assignee: **Bryan Family Enterprises LLC**, Union City, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/430,311**

(22) Filed: **Aug. 23, 2012**

(51) **LOC (9) Cl.** ..... **29-02**

(52) **U.S. Cl.**  
USPC ..... **D29/109**

(58) **Field of Classification Search**  
USPC ..... D29/102-107, 122, 109-112; 2/5,  
2/6.3, 3.7, 411-425, 171-173, 205-206,  
2/9, 195.1, 181.4, 906, 202, 10, 6.6, 410,  
2/183; D2/867-868, 870, 878-880, 882,  
D2/886-888, 893, 869, 866; D21/659-661;  
D14/129; 345/8; 348/157, 347, 82  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D206,191	S	*	11/1966	Lawrence	.....	D29/109
4,316,289	A		2/1982	Hild		
D282,308	S	*	1/1986	Kain	.....	D29/109
D285,021	S	*	8/1986	Chandler	.....	D29/109
D302,609	S	*	8/1989	Wheeler	.....	D29/109
D306,222	S	*	2/1990	Lee	.....	D29/109
5,105,475	A	*	4/1992	Lynd et al.	.....	2/10
D329,444	S	*	9/1992	Rauch	.....	D29/109

D358,006	S	*	5/1995	Chisolm et al.	.....	D29/122
5,469,584	A		11/1995	Casartelli		
D364,953	S	*	12/1995	Bell	.....	D2/882
5,613,246	A		3/1997	Alexander		
5,826,271	A	*	10/1998	Garrett	.....	2/10
5,896,587	A		4/1999	Gentry		
D455,523	S	*	4/2002	Yungblut	.....	D29/122
D545,030	S	*	6/2007	Fukunaga	.....	D2/882
D553,830	S	*	10/2007	Landers	.....	D2/882
D631,640	S	*	2/2011	van Aanholt	.....	D2/882
D655,869	S	*	3/2012	Mayas	.....	D29/122
D669,253	S	*	10/2012	Houston et al.	.....	D2/893
2002/0004946	A1		1/2002	Nelson		
2011/0167544	A1*		7/2011	Kim	.....	2/421
2012/0054936	A1		3/2012	Cornell		

\* cited by examiner

*Primary Examiner* — Ruth McInroy

(74) *Attorney, Agent, or Firm* — Covergent Law Group LLP;  
Rick Batt



(57) **CLAIM**

The ornamental design for a headgear visor, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, side perspective view of a headgear visor showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a side view thereof;  
FIG. 5 is a top view thereof;  
FIG. 6 is a bottom view thereof; and,  
FIG. 7 is a top, rear, perspective view thereof.  
The broken lines form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7