



US00D688041S

(12) **United States Design Patent**  
**Kroupa**

(10) **Patent No.:** **US D688,041 S**  
(45) **Date of Patent:** **\*\* Aug. 20, 2013**

(54) **CONTACT LENS CONTAINER**

(76) **Inventor:** **Robert J. Kroupa**, Chicago, IL (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/389,915**

(22) **Filed:** **Apr. 18, 2011**

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/264**

(58) **Field of Classification Search**  
USPC ..... D3/219, 252, 263, 264, 265, 271.9;  
206/5, 5.1, 6  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D117,705	S *	11/1939	Abrams	.....	D9/746
D176,236	S *	11/1955	Stageman	.....	D3/265
D289,922	S *	5/1987	Jermyn	.....	D24/218
5,130,011	A *	7/1992	Sage, Jr.	.....	206/5.1
D334,283	S *	3/1993	Schroth	.....	D3/263
5,224,593	A *	7/1993	Bennett	.....	206/5.1
D357,500	S *	4/1995	Mutterperl	.....	D19/36
5,516,495	A *	5/1996	Kutner et al.	.....	422/300
D405,926	S *	2/1999	Badillo	.....	D28/63
D416,770	S *	11/1999	Thorpe	.....	D7/710
6,435,339	B1 *	8/2002	Kroupa	.....	206/5.1
D462,166	S *	9/2002	Chan	.....	D3/219
D482,268	S *	11/2003	Kushner	.....	D8/394
D601,851	S *	10/2009	Lopez	.....	D7/515
D653,443	S *	2/2012	Roudybush	.....	D3/202
8,251,205	B2 *	8/2012	Azera	.....	206/5.1
D673,225	S *	12/2012	Heidrich	.....	D21/400
2004/0238380	A1 *	12/2004	Newman	.....	206/5.1
2010/0122917	A1 *	5/2010	Azera	.....	206/5.1

\* cited by examiner

**FOREIGN PATENT DOCUMENTS**

JP D1271404 5/2006

*Primary Examiner* — T. Chase Nelson

(74) *Attorney, Agent, or Firm* — Howard B. Rockman

(57) **CLAIM**

The ornamental design for a contact lens container, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a contact lens container showing the first embodiment of my new design, where the container is the design of a golf ball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 2 is one side elevation view of the contact lens container embodiment of FIG. 1;

FIG. 3 is a rear elevation view of the contact lens container embodiment of FIG. 1;

FIG. 4 is a top plan view of the contact lens container embodiment of FIG. 1;

FIG. 5 is a front elevation view of the contact lens container embodiment of FIG. 1;

FIG. 6 is a second side elevation view of the contact lens container embodiment of FIG. 1;

FIG. 7 is a bottom plan view of the contact lens container embodiment of FIG. 1;

FIG. 8 is a front perspective view of a contact lens container showing the second embodiment of my new design, where the container is the design of a tennis ball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 9 is one side elevation view of the contact lens container embodiment of FIG. 8;

FIG. 10 is a rear elevation view of the contact lens container embodiment of FIG. 8;



FIG. 11 is a top plan view of the contact lens container embodiment of FIG. 8;

FIG. 12 is a front elevation view of the contact lens container embodiment of FIG. 8;

FIG. 13 is a second side elevation view of the contact lens container embodiment of FIG. 8;

FIG. 14 is a bottom plan view of the contact lens container embodiment of FIG. 8;

FIG. 15 is a front perspective view of a contact lens container showing the third embodiment of my new design, where the





container is the design of a baseball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 16 is one side elevation view of the contact lens container embodiment of FIG. 15;

FIG. 17 is a rear elevation view of the contact lens container embodiment of FIG. 15;

FIG. 18 is a top plan view of the contact lens container embodiment of FIG. 15;

FIG. 19 is a front elevation view of the contact lens container embodiment of FIG. 15;

FIG. 20 is a second side elevation view of the contact lens container embodiment of FIG. 15;

FIG. 21 is a bottom plan view of the contact lens container embodiment of FIG. 15;

FIG. 22 is a front perspective view of a contact lens container showing the fourth embodiment of my new design, where the container is the design of a volley ball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 23 is one side elevation view of the contact lens container embodiment of FIG. 22;

FIG. 24 is a rear elevation view of the contact lens container embodiment of FIG. 22;

FIG. 25 is a top plan view of the contact lens container embodiment of FIG. 22;

FIG. 26 is a front elevation view of the contact lens container embodiment of FIG. 22;

FIG. 27 is a second side elevation view of the contact lens container embodiment of FIG. 22;

FIG. 28 is a bottom plan view of the contact lens container embodiment of FIG. 22;

FIG. 29 is a front perspective view of a contact lens container showing the fifth embodiment of my new design, where the container is the design of a basketball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 30 is one side elevation view of the contact lens container embodiment of FIG. 29;

FIG. 31 is a rear elevation view of the contact lens container embodiment of FIG. 29;

FIG. 32 is a top plan view of the contact lens container embodiment of FIG. 29;

FIG. 33 is a front elevation view of the contact lens container embodiment of FIG. 29;

FIG. 34 is a second side elevation view of the contact lens container embodiment of FIG. 29;

FIG. 35 is a bottom plan view of the contact lens container embodiment of FIG. 29;

FIG. 36 is a front perspective view of a contact lens container showing the sixth embodiment of my new design, where the container is the design of a soccer ball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 37 is one side elevation view of the contact lens container embodiment of FIG. 36;

FIG. 38 is a rear elevation view of the contact lens container embodiment of FIG. 36;

FIG. 39 is a top plan view of the contact lens container embodiment of FIG. 36;

FIG. 40 is a front elevation view of the contact lens container embodiment of FIG. 36;

FIG. 41 is a second side elevation view of the contact lens container embodiment of FIG. 36;

FIG. 42 is a bottom plan view of the contact lens container embodiment of FIG. 36;

FIG. 43 is a front perspective view of a contact lens container showing the seventh embodiment of my new design where the container is the design of a beach ball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 44 is one side elevation view of the contact lens container embodiment of FIG. 43;

FIG. 45 is a rear elevation view of the contact lens container embodiment of FIG. 43;

FIG. 46 is a top plan view of the contact lens container embodiment of FIG. 43;

FIG. 47 is a front elevation view of the contact lens container embodiment of FIG. 43;

FIG. 48 is a second side elevation view of the contact lens container embodiment of FIG. 43;

FIG. 49 is a bottom plan view of the contact lens container embodiment of FIG. 43;

FIG. 50 is a front perspective view of a contact lens container showing the eighth embodiment of my new design, where the container is the design of a billiard ball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 51 is one side elevation view of the contact lens container embodiment of FIG. 50;

FIG. 52 is a rear elevation view of the contact lens container embodiment of FIG. 50;

FIG. 53 is a top plan view of the contact lens container embodiment of FIG. 50;

FIG. 54 is a front elevation view of the contact lens container embodiment of FIG. 50;

FIG. 55 is a second side elevation view of the contact lens container embodiment of FIG. 50; and,

FIG. 56 is a bottom plan view of the contact lens container embodiment of FIG. 50.

The material shown in the drawings with dotted lines does not form part of the design of the disclosed contact lens containers, but is included to show background material with which the subject inventive designs may be utilized.

**1 Claim, 16 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 17




Fig. 16



Fig. 18




Fig. 19




Fig. 20




Fig. 21






Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 31




Fig. 30




Fig. 32




Fig. 33




Fig. 34




Fig. 35






Fig. 36




Fig. 37




Fig. 38



Fig. 39




Fig. 40




Fig. 41



Fig. 42




Fig. 43




Fig. 45




Fig. 44




Fig. 46




Fig. 47




Fig. 48




Fig. 49






Fig. 50




Fig. 52




Fig. 51




Fig. 53




Fig. 54




Fig. 55




Fig. 56