



US00D688099S

(12) **United States Design Patent**
Hsu

(10) **Patent No.:** **US D688,099 S**

(45) **Date of Patent:** **** Aug. 20, 2013**

(54) **CUP**

(75) Inventor: **Sung-Ming Hsu**, Taipei (TW)

(73) Assignee: **Inno-art Corporation**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/422,239**

(22) Filed: **May 17, 2012**

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/534**; D24/197

(58) **Field of Classification Search**
USPC D7/534, 510, 511, 509; 99/495;
215/11.3, 11.5, 396; 220/710.5, 714; D24/197,
D24/198

See application file for complete search history.

D559,624 S * 1/2008 Carreno D7/534
D579,722 S * 11/2008 Sakulsacha et al. D7/510
7,562,789 B2 * 7/2009 Randolph et al. 220/710.5
D616,706 S * 6/2010 Bofinger et al. D7/534
D625,423 S * 10/2010 MacKay et al. D24/197
D625,424 S * 10/2010 MacKay et al. D24/197
D626,417 S * 11/2010 Kim D9/503
D642,435 S * 8/2011 Schofield et al. D7/510
D642,866 S * 8/2011 Schofield et al. D7/510
D642,867 S * 8/2011 Miller et al. D7/510
D644,067 S * 8/2011 Valderrama et al. D7/534
8,256,641 B2 * 9/2012 Randolph et al. 220/710.5
D676,709 S * 2/2013 Thomas D7/534
D679,948 S * 4/2013 Meyer et al. D7/534
2007/0163984 A1 * 7/2007 Nguyen et al. 215/11.3

* cited by examiner

Primary Examiner — Marianne Pandozzi

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, PLLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

D233,972 S * 12/1974 Jublin D7/511
D315,213 S * 3/1991 Ohnuki D24/197
D322,196 S * 12/1991 Ohnuki D7/510
D326,796 S * 6/1992 Kawano D7/510
D368,529 S * 4/1996 Allegre D24/197
D423,107 S * 4/2000 Brown et al. D24/197
D425,994 S * 5/2000 Hakim D24/197
D441,087 S * 4/2001 Johansen et al. D24/197
D454,642 S * 3/2002 Hakim D24/197
D476,849 S * 7/2003 Randolph D7/510
D495,558 S * 9/2004 Tollman D7/510
D504,049 S * 4/2005 Morano et al. D7/534
6,978,908 B2 * 12/2005 Morano et al. 215/396
D532,112 S * 11/2006 Lornage D24/197
D551,021 S * 9/2007 Rousso et al. D7/510


(57) **CLAIM**

The ornamental design for a cup, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a cup in accordance with the present invention;
FIG. 2 is a front elevational view of the cup of FIG. 1;
FIG. 3 is a rear elevational view of the cup of FIG. 1;
FIG. 4 is a left side elevational view of the cup of FIG. 1;
FIG. 5 is a right side elevational view of the cup of FIG. 1;
FIG. 6 is a top plan view of the cup of FIG. 1;
FIG. 7 is a bottom plan view of the cup of FIG. 1; and,
FIG. 8 is a cross-sectional view of the cup taken along line A-A in FIG. 6.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8