



US00D688255S

(12) **United States Design Patent**
Daniel

(10) **Patent No.:** **US D688,255 S**

(45) **Date of Patent:** **** Aug. 20, 2013**

(54) **ELECTRONIC PERIPHERAL DEVICE**

(76) Inventor: **Isaac S. Daniel**, Miramar, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/426,502**

(22) Filed: **Jul. 6, 2012**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/480.4; D14/480.5**

(58) **Field of Classification Search**
USPC D14/411, 433, 435.1, 436, 480.1–480.7,
D14/484.1, 137, 155, 203.1–203.8, 24, 218;
D13/133, 154; 361/679.31, 679.33, 679.4,
361/752; 439/131, 135–147; 710/300, 301;
711/100, 115

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D268,931 S *	5/1983	Ellis et al.	D14/433
D492,307 S *	6/2004	Aqqad et al.	D14/480.5
D500,302 S *	12/2004	Deguchi	D14/480.4
D506,471 S *	6/2005	Iikura et al.	D14/480.5
D526,331 S *	8/2006	Lee	D14/203.7
D538,297 S *	3/2007	Ching	D14/203.3
D542,788 S *	5/2007	Gutmann et al.	D14/480.5
D555,158 S *	11/2007	Lo	D14/480.5
D577,715 S *	9/2008	Lim et al.	D14/240
7,503,780 B1 *	3/2009	Huang	439/135
D597,068 S *	7/2009	Whang	D14/203.7
D610,134 S *	2/2010	Gotzen	D14/480.5
D610,156 S *	2/2010	Mudrick	D14/480.5
D624,086 S *	9/2010	Gilbert et al.	D14/480.5
D631,055 S *	1/2011	Gilbert et al.	D14/480.5
D642,585 S *	8/2011	Lan et al.	D14/480.5

D670,297 S *	11/2012	Huang	D14/480.5
D671,123 S *	11/2012	Ni et al.	D14/480.1
D675,630 S *	2/2013	Ni et al.	D14/480.1

OTHER PUBLICATIONS

Image of flash drives, [online], [retrieved on Nov. 16, 2006]. Retrieved from the Internet <URL: http://img.alibaba.com/photo/11493648/USB_Flash_Drive.jpg>.*

Fastest Five USB Flash Drives: Raid Drive, [online] posted Jan. 4, 2012 [retrieved on Aug. 6, 2012]. Retrieved from the Internet <URL: <http://www.etechnag.com/2012/01/04/fastest-five-usb-flash-drives.html>>.*

* cited by examiner

Primary Examiner — Karen E Kearney

(74) *Attorney, Agent, or Firm* — Alberto Interian, III

(57) **CLAIM**

The ornamental design for an electronic peripheral device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the electronic peripheral device.

FIG. 2 is a top perspective view of the electronic peripheral device with a cover removed.

FIG. 3 is a front view of the electronic peripheral device.

FIG. 4 is a rear view of the electronic peripheral device.



FIG. 5 is a top view of the electronic peripheral device.

FIG. 6 is a bottom view of the electronic peripheral device.

FIG. 7 is a side view of the electronic peripheral device; and, FIG. 8 is an opposite side view of the electronic peripheral device.

The broken line showings of the connector in FIG. 2 are for the purpose of illustrating portions of the electronic peripheral device and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8