



US00D688378S

(12) **United States Design Patent**
Matsuda

(10) **Patent No.:** **US D688,378 S**

(45) **Date of Patent:** **** Aug. 20, 2013**

(54) **SUPPORTIVE DEVICE**

(75) **Inventor:** **Yoshihiro Matsuda, Seto (JP)**

(73) **Assignee:** **Toyota Jidosha Kabushiki Kaisha (JP)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/412,405**

(22) **Filed:** **Feb. 2, 2012**

(30) **Foreign Application Priority Data**

Oct. 31, 2011 (JP) 2011-25134
Jan. 30, 2012 (CN) 2012 3 0023935
Jan. 31, 2012 (EP) 001983529

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/190**

(58) **Field of Classification Search**
USPC D24/190, 192; D29/121.1, 121.2;
602/16, 21-23, 26-28, 30, 60-66
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,949,111 A * 8/1960 Ruotoistenmaki 602/28
3,680,549 A * 8/1972 Lehneis et al. 602/23
3,805,773 A * 4/1974 Sichau 602/28
D284,702 S * 7/1986 Castillo D24/190
5,230,697 A * 7/1993 Castillo et al. 602/16
5,306,230 A * 4/1994 Bodine 602/26
5,817,041 A * 10/1998 Bader 602/23
D457,639 S * 5/2002 McCoy D24/192
6,635,024 B2 * 10/2003 Hatton et al. 602/16

D501,928 S * 2/2005 Smits D24/192
6,997,891 B1 * 2/2006 Vecsey 602/23
D546,955 S * 7/2007 Bauerfiend et al. D24/190
7,462,160 B2 * 12/2008 Nobbe et al. 602/27
D657,879 S * 4/2012 Lee et al. D24/190
8,157,756 B2 * 4/2012 Schimek et al. 602/26
2002/0188238 A1 * 12/2002 Townsend et al. 602/26
2006/0264795 A1 * 11/2006 Christensen 602/27
2006/0270958 A1 * 11/2006 George 602/28

OTHER PUBLICATIONS

Daiwa House Kogyo, Daiwa House Kogyo Robot Suit "Hal," Daiwa House Kogyo Kabushiki Kaisha Official Website, <http://www.daiwahouse.co.jp/robot/hal/index.html>, <http://www.daiwahouse.co.jp/robot/hal/products/about.html>, Jan. 6, 2011.

* cited by examiner

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw Group



(57) **CLAIM**

The ornamental design for a supportive device, as shown and described.

DESCRIPTION

FIG. 1 is a front, left perspective view of a supportive device showing my new design;
FIG. 2 is a rear, right perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a left side view thereof; and,
FIG. 8 is a right side view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8