



US00D688577S

(12) **United States Design Patent**
Steffey et al.

(10) **Patent No.:** **US D688,577 S**

(45) **Date of Patent:** **** Aug. 27, 2013**

(54) **LASER TRACKER**

(75) Inventors: **Kenneth Steffey**, Longwood, FL (US);
Jeremy Markee Garey, Landenberg, PA
(US); **Jonathan Robert Day**,
Wilmington, DE (US); **Ian C.**
McDermott, Lincoln University, PA
(US); **Ian Vance White**, Philadelphia,
PA (US); **Joseph W. Jackson, Jr.**,
Wilmington, DE (US); **Matthew Joseph**
Messinger, Sinking Spring, PA (US)

(73) Assignee: **Faro Technologies, Inc.**, Lake Mary, FL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/413,811**

(22) Filed: **Feb. 21, 2012**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/66; D10/70**

(58) **Field of Classification Search**
USPC D10/66, 70; 33/276, 277, 281, 285,
33/286, 290, 291–299, DIG. 21; 340/539,
340/825.36, 825.46, 825.49; 356/5.15, 4.01,
356/5.01, 4.05, 5.05–5.09, 5.12, 28.5, 345,
356/375, 3.01, 128–155, 399–400; 385/83,
385/97–99, 134–139; 264/1.24–1.25
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,682,804 A 7/1954 Clifford et al.
2,784,641 A 3/1957 Keuffel et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1531659 A 9/2004
CN 101031817 A 9/2007

(Continued)

OTHER PUBLICATIONS

International Search Report of the International Searching Authority
for Application No. PCT/US2012/032970; Date of Mailing Nov. 28,
2012.

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

We claim, the ornamental design for a laser tracker, as shown
and described.

DESCRIPTION

FIG. 1 is a first perspective view of a first embodiment the
invention;

FIG. 2 is a second perspective view of the embodiment of
FIG. 1;

FIG. 3 is a third perspective view of the embodiment of FIG.
1;

FIG. 4 is a front view of the embodiment of FIG. 1;

FIG. 5 is a rear view of the embodiment of FIG. 1;

FIG. 6 is a first side view of the embodiment of FIG. 1;

FIG. 7 is a second side view of the embodiment of FIG. 1;

FIG. 8 is a top view of the embodiment of FIG. 1; and,

FIG. 9 is a bottom view of the embodiment of FIG. 1.

The degree of transparency or opaqueness of the side cover
member of the laser tracker forms no part of the claimed
design. The side cover member of the claimed laser tracker
may have facets, lenslets or other treatments.

The interior structure and details visible through the side
cover member form no part of the claimed design.


The phantom lines shown in FIG. 1-FIG. 9 are environmental
and not part of the claimed design.

The color and shading of the laser tracker forms no part of the
claimed design, the laser tracker according to the claimed
design may be any color or combination of colors.

The surface treatment of the laser tracker forms no part of the
claimed design, the laser tracker of the claimed design may
have any surface treatment.

References to “side”, “top”, “front”, “rear” and “bottom” in
the figure descriptions are not meant to require certain in-use
orientation; a laser tracker according to the claimed design
may be used in any orientation.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,339,457 A 9/1967 Pun
3,365,717 A 1/1968 Holscher
3,464,770 A 9/1969 Schmidt
3,497,695 A 2/1970 Smith et al.
3,508,828 A 4/1970 Froome et al.
3,619,058 A 11/1971 Hewlett et al.
3,627,429 A 12/1971 Jaenicke et al.
3,658,426 A 4/1972 Vyce
3,728,025 A 4/1973 Madigan et al.
3,740,141 A 6/1973 DeWitt, Jr.
3,779,645 A 12/1973 Nakazawa et al.
3,813,165 A 5/1974 Hines et al.
3,832,056 A 8/1974 Shipp et al.
3,900,260 A 8/1975 Wendt
3,914,052 A 10/1975 Wiklund
4,113,381 A 9/1978 Epstein
4,297,030 A 10/1981 Chaborski
4,403,857 A 9/1983 Holscher
4,453,825 A 6/1984 Buck et al.
4,498,764 A 2/1985 Bolkow et al.
4,531,833 A 7/1985 Ohtomo
4,632,547 A 12/1986 Kaplan et al.
4,689,489 A 8/1987 Cole
4,699,508 A 10/1987 Bolkow et al.
4,707,129 A 11/1987 Hashimoto et al.
4,714,339 A 12/1987 Lau et al.
4,790,651 A 12/1988 Brown et al.
5,002,388 A 3/1991 Ohishi et al.
5,051,934 A 9/1991 Wiklund
5,082,364 A 1/1992 Russell
5,162,862 A 11/1992 Bartram et al.
5,319,434 A 6/1994 Croteau et al.
5,400,130 A 3/1995 Tsujimoto et al.
5,416,321 A 5/1995 Sebastian et al.
5,440,112 A 8/1995 Sakimura et al.
5,455,670 A 10/1995 Payne et al.
5,534,992 A 7/1996 Takeshima et al.
5,737,068 A 4/1998 Kaneko et al.
5,742,379 A 4/1998 Reifer
5,754,284 A 5/1998 Leblanc et al.
5,764,360 A 6/1998 Meier
5,771,623 A 6/1998 Pernstich et al.
5,880,822 A 3/1999 Kubo
5,886,777 A 3/1999 Hirunuma
5,892,575 A 4/1999 Marino
5,991,011 A 11/1999 Damm
D427,087 S 6/2000 Kaneko et al. D10/66
6,100,540 A 8/2000 Ducharme et al.
6,324,024 B1 11/2001 Shirai et al.
6,330,379 B1 12/2001 Hendriksen
6,351,483 B1 2/2002 Chen
6,369,880 B1 4/2002 Steinlechner
6,463,393 B1 10/2002 Giger
6,490,027 B1 12/2002 Rajchel et al.
6,563,569 B2 5/2003 Osawa et al.
6,583,862 B1 6/2003 Perger
6,633,367 B2 10/2003 Gogolla
6,727,985 B2 4/2004 Giger
6,765,653 B2 7/2004 Shirai et al.
6,847,436 B2 1/2005 Bridges
6,859,744 B2 2/2005 Giger
6,864,966 B2 3/2005 Giger
7,023,531 B2 4/2006 Gogolla et al.
7,095,490 B2 8/2006 Ohtomo et al.
7,177,014 B2 2/2007 Mori et al.
7,196,776 B2 3/2007 Ohtomo et al.
7,224,444 B2 5/2007 Stierle et al.
7,248,374 B2 7/2007 Bridges
7,256,899 B1 8/2007 Faul et al.
7,262,863 B2 8/2007 Schmidt et al.
7,327,446 B2 2/2008 Cramer et al.
7,336,346 B2 2/2008 Aoki et al.
7,339,655 B2 3/2008 Nakamura et al.
7,352,446 B2 4/2008 Bridges et al.
7,372,558 B2 5/2008 Kaufman et al.

7,453,554 B2 11/2008 Yang et al.
7,466,401 B2 12/2008 Cramer et al.
7,471,377 B2 12/2008 Liu et al.
7,474,388 B2 1/2009 Ohtomo et al.
7,480,037 B2 1/2009 Palmateer et al.
7,492,444 B2 2/2009 Osada
7,518,709 B2 4/2009 Oishi et al.
7,535,555 B2 5/2009 Nishizawa et al.
7,586,586 B2 9/2009 Constantikes
D605,959 S 12/2009 Apotheloz D10/66
7,701,559 B2 4/2010 Bridges et al.
7,738,083 B2 6/2010 Luo et al.
7,751,654 B2 7/2010 Lipson et al.
7,800,758 B1 9/2010 Bridges et al.
7,804,602 B2 9/2010 Raab
D629,314 S 12/2010 Ogasawara D10/66
7,929,150 B1 4/2011 Schweiger
7,990,523 B2 8/2011 Schlierbach et al.
8,087,315 B2 1/2012 Goossen et al.
2003/0133092 A1 7/2003 Rogers
2005/0147477 A1 7/2005 Clark
2006/0066836 A1 3/2006 Bridges et al.
2006/0103853 A1 5/2006 Palmateer
2006/0132803 A1 6/2006 Clair et al.
2006/0145703 A1 7/2006 Steinbichler et al.
2007/0016386 A1 1/2007 Husted
2007/0024842 A1 2/2007 Nishizawa et al.
2007/0121095 A1 5/2007 Lewis
2007/0130785 A1 6/2007 Bublitz et al.
2007/0247615 A1 10/2007 Bridges
2008/0239281 A1 10/2008 Bridges
2008/0316497 A1 12/2008 Taketomi et al.
2009/0009747 A1 1/2009 Wolf et al.
2009/0046271 A1 2/2009 Constantikes
2009/0066932 A1 3/2009 Bridges et al.
2010/0128259 A1 5/2010 Bridges et al.
2010/0176270 A1 7/2010 Lau et al.
2010/0207938 A1 8/2010 Yau et al.
2010/0245851 A1 9/2010 Teodorescu
2010/0250175 A1 9/2010 Briggs et al.
2010/0277747 A1 11/2010 Rueb et al.
2011/0032509 A1 2/2011 Bridges
2011/0069322 A1 3/2011 Hoffer, Jr.
2011/0173827 A1 7/2011 Bailey et al.
2012/0262728 A1 10/2012 Bridges et al. 356/614

FOREIGN PATENT DOCUMENTS

DE 3827458 A1 2/1990
DE 202006020299 U1 5/2008
EP 0166106 1/1986
EP 1067363 A2 1/2001
EP 1607767 A1 12/2005
EP 2177868 A2 10/2009
EP 2259010 A1 12/2010
EP 2259013 A1 12/2010
JP 57147800 9/1982
JP 5804881 3/1983
JP 5302976 11/1993
JP 6097288 4/1994
JP 11337642 12/1999
JP 2001272468 10/2001
JP 2002098762 4/2002
JP 2004527751 9/2004
JP 2008514967 5/2008
WO 0177613 A1 10/2001
WO 02084327 10/2002
WO 2003062744 A1 7/2003
WO 2008052348 A1 5/2008
WO 2008119073 A2 10/2008
WO 2010141120 A2 12/2010
WO 2010148525 A1 12/2010

OTHER PUBLICATIONS

International Search Report of the International Searching Authority
for Application No. PCT/US2012/032972; Date of Mailing Nov. 28,
2012.

International Search Report of the International Searching Authority for Application No. PCT/US2012/032990; Date of Mailing Dec. 4, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/032970; Date of Mailing Nov. 28, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/032972; Date of Mailing Nov. 28, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/032990; Date of Mailing Dec. 4, 2012.

Faro Laser Tracker ION; 2 pages; revised Apr. 23, 2010; Faro Technologies, Inc., www.lasertracker.faro.com.

Leica Absolute Tracker AT401-ASME B89.4.19-2006 Specifications; Hexagon Metrology; Leica Geosystems Metrology Products, Switzerland; 2 pages; www.leica-geosystems.com/metrology.

LaserTRACER-measuring sub-micron in space; <http://www.etalon-ag.com/index.php/en/products/lasertracer>; 4 pages; Jun. 28, 2011; Etalon AG.

PCMM System Specifications Leica Absolute Tracker and Leica T-Products; Hexagon Metrology; Leica Geosystems Metrology Products, Switzerland; 8 pages; www.leica-geosystems.com/metrology.

Tracker3; Ultra-Portable Laser Tracking System; 4 pages; 2010 Automated Precision Inc.; www.apisensor.com.

Optical Circulator (3-Ports & 4-Ports); [on-line technical data sheet]; Alliance Fiber Optic Products, Inc. REV.D Jan. 15, 2004; Retrieved from www.afop.com.

Super-Nyquist Operation of the AD9912 Yields a High RF Output Signal; Analog Devices, Inc., AN-939 Application Note; www.analog.com; Copyright 2007.

Nanona High Speed & Low Loss Optical Switch; [on-line technical data sheet]; [Retrieved Oct. 14, 2010]; Retrieved from <http://www.bostonati.com/products/PI-FOS.pdf>.

Making the Big Step from Electronics to Photonics by Modulating a Beam of Light with Electricity; May 18, 2005; [on-line]; [Retrieved May 7, 2009]; Cornell University News Service; Retrieved from <http://www.news.cornell.edu/stories/May05/LipsonElectroOptical.ws.html>.

EOspace—High-Speed Switches; [on-line technical brochure]; [Retrieved May 18, 2009]; Retrieved from <http://www.cospace.com/Switches.htm>.

Great Britain Search Report for Application No. GB1013200.9 dated Nov. 22, 2010.

AO Modulator—M040-8J-FxS; [online—technical data sheet]; Gooch & Housego; Nov. 2006; Retrieved from <http://www.goochandhousego.com/>.

2x2 High Speed Lithium Niobate Interferometric Switch; [on-line]; JDS Uniphase Corporation; 2007; Retrieved from www.jdsu.com.

Integrated Optical Amplitude Modulator; [on-line technical data sheet]; [Retrieved Oct. 14, 2010]; Jenoptik; Retrieved from [http://www.jenoptik.com/cms/products.nsf/0/A6DF20B50AEE7819C12576FE0074E8E6/\\$File/amplitudemodulators_en.pdf?Open](http://www.jenoptik.com/cms/products.nsf/0/A6DF20B50AEE7819C12576FE0074E8E6/$File/amplitudemodulators_en.pdf?Open).

Kester, Walt, Practical Analog Design Techniques, Analog Devices, Section 5, Undersampling Applications, Copyright 1995, pp. 5-1 to 5-34.

Optical Circulators Improve Bidirectional Fiber Systems; By Jay S. Van Delden; [online]; [Retrieved May 18, 2009]; Laser Focus World; Retrieved from http://www.laserfocusworld.com/display_article/28411/12/nonc/nonc/News/Optical-circulators-improve-bidirectional-fiber-systems.

Lightvision—High Speed Variable Optical Attenuators (VOA); [on-line]; A publication of Lightwaves 2020, Feb. 1, 2008; Retrieved from <http://www.lightwaves2020.com/home/>.

Computer Giants Embrace On-Chip Optics; Mar. 27, 2008; [on-line]; Optics.org; [Retrieved on Apr. 2, 2008]; Retrieved from <http://optics.org/cws/article/research/33521>.

MEMS Variable Optical Attenuators Single/Multi-Channel; [on-line]; Jan. 17, 2005; Retrieved from www.ozoptics.com.

Poujouly, Stephane, et al., Digital Laser Range Finder: Phase-Shift Estimation by Undersampling Technique; IEEE, Copyright 1999.

RS Series Remote Controlled Optical Switch; [on-line technical data sheet]; Sercalo Microtechnology, Ltd. [Retrieved Oct. 14, 2010]; Retrieved from <http://www.sercalo.com/document/PDFs/DataSheets/RS%20datasheet.pdf>.

Chen, Junewen, “Novel Laser Range Finding Algorithms”, Proceedings of SPIE, vol. 6100, Jan. 1, 2006, pp. 61001Q-61001Q-8, XP55031002, ISSN: 0277-786X, DOI: 10.1117/12.645131, the whole document.

International Search Report of the International Searching Authority for PCT/US2012/032715; Date of Mailing Jul. 5, 2012.

Ou-Yang, Mang, et al., “High-Dynamic-Range Laser Range Finders Based on a Novel Multimodulated Frequency Method”, Optical Engineering, vol. 45, No. 12, Jan. 1, 2006, p. 123603, XP55031001, ISSN: 0091-3286, DOI: 10.1117/1.2402517, the whole document.

Poujouly, Stephane, et al., “A Twofold Modulation Frequency Laser Range Finder; A Twofold Modulation Frequency Laser Range Finder”, Journal of Optics. A, Pure and Applied Optics, Institute of Physics Publishing, Bristol, GB, vol. 4, No. 6, Nov. 1, 2002, pp. S356-S363, XP020080997, ISSN: 1464-4258, DOI: 10.1088/1464-4258/4/6/380, the whole document.

Written Opinion of the International Searching Authority for PCT/US2012/032715; Date of Mailing Jul. 5, 2012.

International Search Report of the International Searching Authority for Application No. PCT/US2012/030835; Date of Mailing Jul. 23, 2012.

International Search Report of the International Searching Authority for Application No. PCT/US2012/031368; Date of Mailing Jul. 18, 2012.

International Search Report of the International Searching Authority for Application No. PCT/US2012/033477; Date of Mailing Jul. 20, 2012.

Leica Laser Tracker System, Leica Geosystems AG, Jan. 1, 1999, XP002678836, Retrieved from the Internet: URL:http://www.a-solution.com.au/pages/downloads/LTD500_Brochure_EN.pdf [retrieved on 2012] the whole document.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/030835; Date of Mailing Jul. 23, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/031368; Date of Mailing Jul. 18, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/033477; Date of Mailing Jul. 20, 2012.

International Search Report of the International Searching Authority for Application No. PCT/2012/030225; Date of Mailing Sep. 28, 2012.

International Search Report of the International Searching Authority for Application No. PCT/US2012/032971; Date of Mailing Sep. 3, 2012.

International Search Report of the International Searching Authority for Application No. PCT/US2012/0033435; Date of Mailing Sep. 17, 2012.

International Search Report of the International Searching Authority for Application No. PCT/US2012/033720; Date of Mailing Sep. 26, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/030225; Date of Mailing Sep. 28, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/032971; Date of Mailing Sep. 3, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/033435; Date of Mailing Sep. 17, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/033720; Date of Mailing Sep. 26, 2012.

International Search Report of the International Searching Authority for Application No. PCT/US2012/034611; Date of Mailing Dec. 13, 2012.

Office Action for Japanese Patent Application No. 2010-176909 filed Aug. 6, 2010; issued on Oct. 23, 2012.

Written Opinion of the International Searching Authority for Application No. PCT/US2012/034611; Date of Mailing Dec. 13, 2012.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

