



US00D688636S

(12) **United States Design Patent**  
**Oishi et al.**

(10) **Patent No.:** **US D688,636 S**

(45) **Date of Patent:** **\*\* Aug. 27, 2013**

(54) **SWITCH**

(75) Inventors: **Ryotaro Oishi**, Tokyo (JP); **Masayasu Ito**, Tokyo (JP); **Sota Kawashima**, Tokyo (JP); **Haruo Yoshida**, Tokyo (JP)

(73) Assignee: **SMK Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/404,917**

(22) Filed: **Oct. 26, 2011**

(30) **Foreign Application Priority Data**

Apr. 26, 2011 (JP) ..... 2011-11198  
Apr. 26, 2011 (JP) ..... 2011-11199

(51) **LOC (9) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/171**

(58) **Field of Classification Search**  
USPC ..... D13/162, 164, 171, 174; 200/5 R,  
200/5 A, 302.2, 406, 513, 520, 523, 530,  
200/293, 296, 308, 310, 314, 329, 341;  
307/139, 157; 315/209 R, 224, 246, 291,  
315/294, 295

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D239,394 S \* 3/1976 Adams et al. .... D13/169  
D305,022 S \* 12/1989 Hallgren et al. .... D13/171  
4,933,522 A \* 6/1990 Celander ..... 200/513

D467,880 S \* 12/2002 Kawashima ..... D13/158  
6,552,287 B2 \* 4/2003 Janniere ..... 200/406  
6,855,900 B1 \* 2/2005 Urushibata ..... 200/406  
6,995,324 B2 \* 2/2006 Asada ..... 200/1 B  
D520,962 S \* 5/2006 Seal et al. .... D13/164  
7,075,020 B2 \* 7/2006 Asada ..... 200/1 B  
D562,264 S \* 2/2008 Jeong et al. .... D13/164  
7,557,320 B1 \* 7/2009 Crooijmans et al. .... 200/406  
7,560,655 B2 \* 7/2009 Karaki et al. .... 200/406  
8,188,398 B2 \* 5/2012 Chu ..... 200/345  
8,222,553 B2 \* 7/2012 Zieder ..... 200/406  
2001/0013463 A1 \* 8/2001 Asai et al. .... 200/1 B  
2004/0055860 A1 \* 3/2004 Huseman et al. .... 200/406  
2009/0178911 A1 \* 7/2009 Chen ..... 200/5 A

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Edwards Wildman Palmer LLP; Peter C. Schechter; Adam P. Daniels

(57) **CLAIM**

The ornamental design for a switch, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a switch showing an embodiment of a new design;

FIG. 2 is a top view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;



FIG. 5 is a rear view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front perspective view thereof; and,

FIG. 8 is a rear perspective view thereof.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8