



US00D688736S

(12) **United States Design Patent**
Lilly

(10) **Patent No.:** **US D688,736 S**

(45) **Date of Patent:** **** Aug. 27, 2013**

- (54) **STRINGED INSTRUMENT PICK**
- (71) Applicant: **Arthur Brent Lilly**, Manassas, VA (US)
- (72) Inventor: **Arthur Brent Lilly**, Manassas, VA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/437,858**
- (22) Filed: **Nov. 21, 2012**
- (51) **LOC (9) Cl.** **17-03**
- (52) **U.S. Cl.**
USPC **D17/20**
- (58) **Field of Classification Search**
USPC D17/20, 99; 84/320-322
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

463,013	A *	11/1891	Deventer	84/297 R
1,184,561	A	5/1916	Napoletano	
1,461,070	A	7/1923	Rudesyle	
2,170,179	A	8/1939	Wolcott	
2,484,820	A	10/1949	Galetzky	
3,112,668	A	12/1963	Moshay	
3,319,505	A	5/1967	Galetzky	
3,595,118	A	7/1971	Paxton	
3,699,838	A	10/1972	Montgomery	
3,789,720	A	2/1974	McIntyre	
4,067,255	A	1/1978	Camaioni	
4,122,746	A	10/1978	Freeman	
4,137,814	A	2/1979	Rowley	
4,228,719	A	10/1980	Keene	
4,253,372	A	3/1981	Filipetti	
D268,844	S *	5/1983	McPherson, Sr.	D17/20
4,711,150	A	12/1987	Hyduck	
4,843,942	A	7/1989	Ishizuka	
D302,562	S *	8/1989	Pearse	D17/20
D310,233	S *	8/1990	Farnell, Jr.	D17/20
D330,905	S	11/1992	Thomas	
5,194,680	A	3/1993	Reineck	

D336,102	S	6/1993	Hodesh	
D346,177	S	4/1994	Reineck	
5,323,677	A	6/1994	Knutson	
5,341,715	A	8/1994	Hucek	
5,488,892	A *	2/1996	Jepsen	84/322
5,587,542	A	12/1996	Everly	
5,594,189	A	1/1997	Latteri	
5,610,349	A	3/1997	Fogarty et al.	
D389,856	S *	1/1998	Everly	D17/20
D392,668	S *	3/1998	Shingler	D17/20
D395,330	S	6/1998	Sarno	
5,864,075	A	1/1999	Mapson	
6,040,512	A	3/2000	Polley	
6,054,643	A	4/2000	Chance et al.	
6,118,058	A	9/2000	Rowley	
D441,005	S	4/2001	Parham, Jr.	
6,245,977	B1	6/2001	Byrns	

(Continued)

FOREIGN PATENT DOCUMENTS

GB	2233141	A *	1/1991
JP	2012145901	A *	8/2012

Primary Examiner — Rashida Johnson

(74) *Attorney, Agent, or Firm* — Myers Wolin, LLC


(57) **CLAIM**

I claim the ornamental design for a stringed instrument pick, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a stringed instrument pick showing my new design;
 FIG. 2 is a top view thereof;
 FIG. 3 is a front elevation thereof, the rear elevation being identical;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a right side elevation thereof, the left side elevation being identical; and,
 FIG. 6 is an enlarged cross-sectional view taken along line 6-6 of FIG. 3.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

D448,400	S *	9/2001	Freeman	D17/20	7,312,387	B1	12/2007	Shaw	
6,346,662	B1	2/2002	Sielaff			D577,058	S *	9/2008	Krovoza D17/20
6,417,431	B1	7/2002	Wilkinson			7,459,620	B1	12/2008	Kester	
D461,838	S	8/2002	Freeman			7,683,245	B2	3/2010	Judd	
D467,934	S *	12/2002	Smyth et al.	D14/478	7,812,234	B2	10/2010	Dybas	
D490,459	S *	5/2004	Sarmas	D17/20	7,956,264	B2	6/2011	Risolia	
6,815,597	B1	11/2004	Bosley			D661,726	S	6/2012	Goble	
6,835,881	B1	12/2004	Jackson			2003/0106410	A1 *	6/2003	Hautamaki et al. 84/322
7,067,729	B2	6/2006	Leong			2009/0056521	A1	3/2009	Goad	
7,157,635	B2	1/2007	Sogabe			2009/0139384	A1	6/2009	Bramucci	
7,186,908	B2	3/2007	Hodesh et al.			2010/0180748	A1	7/2010	Fredrick	
7,238,869	B1	7/2007	Kleckzka			2010/0263515	A1	10/2010	Hollin, Jr.	
7,265,285	B2	9/2007	Storey			2010/0282043	A1	11/2010	Slingsby	
						2011/0179938	A1	7/2011	Smith	
						2011/0265630	A1 *	11/2011	McKee 84/322

* cited by examiner




FIG. 1





FIG. 2



6 ←
FIG. 3




FIG. 4



FIG. 5



FIG. 6