



US00D688788S

(12) **United States Design Patent**
Spruell et al.

(10) **Patent No.:** **US D688,788 S**

(45) **Date of Patent:** **** Aug. 27, 2013**

(54) **WEARABLE POSITIVE AIRWAY PRESSURE (PAP) DELIVERY DEVICE**

(75) Inventors: **Matthew David Spruell**, Roseville (AU); **Robert Edward Henry**, Baulkham Hills (AU); **Gerard Michael Rummery**, Woodford (AU); **Benjamin John Hunter**, Turrumurra (AU); **James William Charles Vandyke**, Glebe (AU); **Stewart Joseph Wagner**, Bowen Mountain (AU); **Frederick Arlet May**, Bella Vista (AU); **Stuart Norris Plascott**, Macquarie Park (AU); **Mark Bertinetti**, Hornsby (AU); **Jose Ignacio Romagnoli**, Redfern (AU); **Jamie Graeme Wehbeh**, Mosman (AU)

(73) Assignee: **ResMed Limited**, Bella Vista (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/371,434**

(22) Filed: **Feb. 25, 2011**

(51) **LOC (9) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D24/110.1**

(58) **Field of Classification Search**
USPC D24/110, 110.1-110.4; 128/206.21, 128/206.28, 207.11, 201.22, 201.23, 201.24, 128/206.24, 206.26, 206.27, 207.13
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D492,992 S 7/2004 Guney et al.
D505,489 S * 5/2005 Sleeper D24/110.1
D538,927 S * 3/2007 Aylsworth et al. D24/110.1

D556,898 S 12/2007 Guney et al.
D557,441 S 12/2007 Hsu
D572,816 S 7/2008 Lang et al.
D595,841 S * 7/2009 McAuley et al. D24/110.1
D639,932 S 6/2011 D'Souza et al.
D655,808 S 3/2012 Stallard et al.
2006/0283457 A1 * 12/2006 Woodard et al. 128/206.24
2008/0006277 A1 1/2008 Worboys et al.
2011/0023883 A1 * 2/2011 Hieber et al. 128/206.24
2011/0155139 A1 6/2011 Ho et al.
2011/0277770 A1 11/2011 Chang

OTHER PUBLICATIONS

Spruell et al., U.S. Appl. No. 29/371,435, filed Feb. 25, 2011.
Rummery et al., U.S. Appl. No. 29/401,274, filed Sep. 9, 2011.

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Richelle Shelton

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.


(57) **CLAIM**

The ornamental design for a wearable positive airway pressure (PAP) delivery device, as shown.

DESCRIPTION

FIG. 1 is a rear perspective view of a wearable positive airway pressure (PAP) delivery device according to our new ornamental design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a left side view thereof; and,
FIG. 7 is a right side view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7