



US00D688809S

(12) **United States Design Patent**  
**McAllister et al.**

(10) **Patent No.:** **US D688,809 S**

(45) **Date of Patent:** **\*\* Aug. 27, 2013**

(54) **PAVING STONE**

(75) Inventors: **Kenneth Lee McAllister**, Houma, LA (US); **Christian Anthony Carillo**, Orlando, FL (US)

(73) Assignee: **Aquaarch Exfiltration System, LLC**, Jacksonville, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/413,909**

(22) Filed: **Feb. 22, 2012**

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.**  
USPC ..... **D25/113**

(58) **Field of Classification Search**  
USPC ..... D25/102-118, 136, 138, 140, 151, D25/152, 153, 156-162, 164; D21/484-491, D21/499-504; 405/16, 284, 286; 52/503-505, 52/574, 575, 596-612; 404/27-42; D8/1  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

19,592 A	3/1858	Tewkesbury
378,825 A	2/1888	Brannigan
379,926 A	3/1888	Anderson
572,762 A	12/1896	Landers
815,641 A	3/1906	Schoeneman
836,017 A	11/1906	Douglass
1,277,829 A	9/1918	Baum
1,305,294 A	6/1919	McIntyre
4,227,829 A	10/1980	Landry, Jr.
4,246,305 A	1/1981	Delattre
4,370,075 A	1/1983	Scales
4,572,699 A	2/1986	Rinninger
4,719,738 A	1/1988	Lee
4,792,257 A	12/1988	Rinninger
5,159,801 A	11/1992	Schmidt

5,281,048 A	1/1994	Hagenah	
5,348,417 A *	9/1994	Scheiwiller	404/41
D363,558 S *	10/1995	McCoy	D25/113
5,484,230 A	1/1996	Rudloff	
5,499,888 A	3/1996	Hawkes	
5,533,827 A	7/1996	Scheiwiller	
5,797,698 A	8/1998	Barth et al.	
D399,577 S	10/1998	Scales	
5,921,710 A	7/1999	Scales	
D431,305 S *	9/2000	Barth et al.	D25/113
6,164,026 A	12/2000	Ehrenkrantz	
6,416,253 B1	7/2002	Wimp et al.	
6,508,607 B1	1/2003	Smith et al.	
6,536,988 B2	3/2003	Geiger	

(Continued)

**FOREIGN PATENT DOCUMENTS**

DE	10244929 A1	4/2003
GB	2134561 A	8/1984
JP	7197429 A	8/1995

*Primary Examiner* — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Middleton Reutlinger; Chad D. Bruggeman; John F. Salazar


(57) **CLAIM**

The ornamental design for a paving stone, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the paving stone of the present invention;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.  
The break lines depicted in the drawings are shown to indicate indeterminate width and length.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

6,579,038 B1 6/2003 McAllister et al.  
D481,135 S \* 10/2003 Dean et al. .... D25/113  
6,682,269 B2 1/2004 Price et al.  
D498,002 S \* 11/2004 Ogawa et al. .... D25/118  
6,939,077 B1 9/2005 Hart  
D516,735 S 3/2006 Kees et al.  
D538,947 S \* 3/2007 Price ..... D25/113

D575,414 S 8/2008 Salerno  
7,594,365 B2 9/2009 Kang et al.  
D609,369 S 2/2010 Buch  
7,717,644 B2 5/2010 Han  
2002/0124509 A1 9/2002 Smyer, III  
2005/0055983 A1 3/2005 Tomes  
2005/0252145 A1 11/2005 MacDonald et al.  
2007/0269265 A1 11/2007 Thorkelson  
2009/0180833 A1 7/2009 Buch

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7