



US00D688839S

(12) **United States Design Patent**  
**Helm et al.**

(10) **Patent No.:** **US D688,839 S**

(45) **Date of Patent:** **\*\* Aug. 27, 2013**

(54) **CLEANING, DISINFECTING AND DRYING MACHINE**

(71) Applicant: **Belimed AG**, Zug (CH)

(72) Inventors: **Thorsten Helm**, Sassenberg (DE);  
**Daniel Fichte**, Münster (DE); **Roman Rieder**, Zizers (CH); **Martin Geiser**, Buchrain (CH); **Markus Felder**, Inwil (CH); **Werner Wirz**, Kriens (CH)

(73) Assignee: **Belimed AG**, Zug (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/435,779**

(22) Filed: **Oct. 29, 2012**

**Related U.S. Application Data**

(62) Division of application No. 29/420,649, filed on May 11, 2012.

**Foreign Application Priority Data**

Nov. 15, 2011 (WO) ..... 636823001

(51) **LOC (9) Cl.** ..... **15-05**

(52) **U.S. Cl.**  
USPC ..... **D32/1**

(58) **Field of Classification Search**  
USPC ..... D32/1; D24/217; 422/26, 114, 292,  
422/295, 297-301; 135/95.2  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D139,817 S \* 12/1944 Chandler ..... D24/217  
D193,172 S \* 7/1962 Kasper ..... D32/1  
D200,892 S \* 4/1965 Musso ..... D24/217  
D201,166 S \* 5/1965 Powar ..... D24/217

D202,486 S \* 10/1965 Salvia ..... D24/217  
3,347,619 A \* 10/1967 Vischer ..... 422/114  
3,351,422 A \* 11/1967 Jones et al. .... 422/299  
D212,571 S \* 10/1968 Eaton ..... D24/217  
D247,308 S \* 2/1978 Truette ..... D24/217  
D264,123 S \* 4/1982 Brendgord et al. .... D24/217  
D264,124 S \* 4/1982 Brendgord et al. .... D24/217  
D319,309 S \* 8/1991 Taylor ..... D24/217  
5,174,970 A \* 12/1992 Santasalo ..... 422/292  
5,223,229 A \* 6/1993 Brucker ..... 422/116  
5,491,092 A \* 2/1996 Colvin ..... 436/1  
5,533,539 A \* 7/1996 Sutter et al. .... 134/95.2  
5,792,435 A \* 8/1998 Mueller et al. .... 422/292  
D404,827 S \* 1/1999 Thoburn ..... D24/217

(Continued)

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Kathleen M Sims

(74) *Attorney, Agent, or Firm* — Shoemaker and Mattare

(57) **CLAIM**

The ornamental design for a cleaning, disinfecting and drying machine, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a cleaning, disinfecting and drying machine, showing our new design;

FIG. 2 is a left side view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a perspective view thereof, from the top, front and left side.

The features shows in broken lines form no part of the claimed design.

The broken line showing of details in FIGS. 2, 3, 4, and 6 is included for the purpose of showing environmental portions of the cleaning, disinfecting and drying machine that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



# US D688,839 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

D405,191 S \* 2/1999 Matsunaga et al. .... D24/217  
D433,147 S \* 10/2000 Florkey et al. .... D24/217  
7,138,087 B1 \* 11/2006 Malkin et al. .... 422/26

D546,743 S \* 7/2007 Wisco ..... D12/191  
D551,773 S \* 9/2007 Sheldon ..... D24/217  
D571,477 S \* 6/2008 Terrill ..... D24/217  
D632,800 S \* 2/2011 Nanni et al. .... D24/217  
2005/0112040 A1 \* 5/2005 Hasegawa et al. .... 422/300

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig.6






Fig. 7