



US00D689333S

(12) **United States Design Patent**
Karam

(10) **Patent No.:** **US D689,333 S**

(45) **Date of Patent:** **** Sep. 10, 2013**

(54) **BEVERAGE CONTAINER**

(75) Inventor: **Carl Karam**, South Granville (AU)

(73) Assignee: **TMA Australia Pty Limited**, South Granville, NSW (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/398,175**

(22) Filed: **Jul. 27, 2011**

(30) **Foreign Application Priority Data**

Jan. 27, 2011 (AU) 10188/2011
Feb. 11, 2011 (AU) 10437/2011

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/529**

(58) **Field of Classification Search**
USPC D7/510, 532, 507, 511, 396.2, 533,
D7/529, 509, 523, 528, 500; 215/388;
220/703, 592.16, 592.17; 229/400
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D104,342	S	*	5/1937	Duncan	D7/529
D108,957	S	*	3/1938	Kelly	D7/532
D109,474	S	*	5/1938	Connor	D34/1
3,495,736	A	*	2/1970	Ragetti	220/670
D376,731	S	*	12/1996	Lin	D7/536
D381,869	S	*	8/1997	Jeppesen et al.	D7/532
D420,284	S	*	2/2000	Sagel	D9/428
D423,879	S	*	5/2000	Lin	D7/529
D483,225	S	*	12/2003	Gain	D7/512
D486,036	S	*	2/2004	Chuang	D7/529
D486,694	S	*	2/2004	McMullin	D7/529
D529,762	S	*	10/2006	Schweigert et al.	D7/523
D550,510	S	*	9/2007	Morton et al.	D7/530
D554,434	S	*	11/2007	Morrison et al.	D7/529
D562,075	S	*	2/2008	Mehta	D7/529
D563,173	S	*	3/2008	Karam	D7/529
D567,026	S	*	4/2008	Karam	D7/529
D569,190	S	*	5/2008	Karam	D7/532

D572,977	S	*	7/2008	Karam	D7/529
D575,111	S	*	8/2008	Karam	D7/532
D602,742	S	*	10/2009	Sutandar	D7/530
D619,852	S	*	7/2010	Bodum	D7/532
2005/0236468	A1	*	10/2005	Sadlier	229/403

* cited by examiner

Primary Examiner — Cynthia Underwood
(74) *Attorney, Agent, or Firm* — Design IP

(57) **CLAIM**

The ornamental design for a beverage container, as shown and described.

DESCRIPTION

FIG. 1 is a right side view of a first embodiment of a beverage container showing my new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a left side view thereof;
 FIG. 4 is a rear view thereof;
 FIG. 5 is a top view thereof;
 FIG. 6 is a bottom view thereof;
 FIG. 7 is a front perspective side view thereof;
 FIG. 8 is an elevated front perspective view thereof;
 FIG. 9 is a right side view of a second embodiment of a beverage container showing my new design;
 FIG. 10 is a front view thereof;
 FIG. 11 is a left side view thereof;
 FIG. 12 is a rear view thereof;
 FIG. 13 is a top view thereof;
 FIG. 14 is a bottom view thereof;
 FIG. 15 is a front perspective side view thereof;
 FIG. 16 is an elevated front perspective view thereof;
 FIG. 17 is a right side view of a third embodiment of a beverage container showing my new design;
 FIG. 18 is a front view thereof;
 FIG. 19 is a left side view thereof;
 FIG. 20 is a rear view thereof;
 FIG. 21 is a top view thereof;
 FIG. 22 is a bottom view thereof;
 FIG. 23 is a front perspective side view thereof;
 FIG. 24 is an elevated front perspective view thereof;





FIG. 25 is a right side view of a fourth embodiment of a beverage container showing my new design;
FIG. 26 is a front view thereof;
FIG. 27 is a left side view thereof;
FIG. 28 is a rear view thereof;
FIG. 29 is a top view thereof;
FIG. 30 is a bottom view thereof;
FIG. 31 is a front perspective side view thereof;
FIG. 32 is an elevated front perspective view thereof;
FIG. 33 is a right side view of a fifth embodiment of a beverage container showing my new design;
FIG. 34 is a front view thereof;
FIG. 35 is a left side view thereof;
FIG. 36 is a rear view thereof;
FIG. 37 is a top view thereof;
FIG. 38 is a bottom view thereof;
FIG. 39 is a front perspective side view thereof;

FIG. 40 is an elevated front perspective view thereof;
FIG. 41 is a right side view of a sixth embodiment of a beverage container showing my new design;
FIG. 42 is a front view thereof;
FIG. 43 is a left side view thereof;
FIG. 44 is a rear view thereof;
FIG. 45 is a top view thereof;
FIG. 46 is a bottom view thereof;
FIG. 47 is a front perspective side view thereof; and,
FIG. 48 is an elevated front perspective view thereof.
In the drawings, the evenly spaced broken lines represent unclaimed environment and form no part of the claim. The dash-dot-dot-dash lines define the boundary of the claimed portion of the beverage container base recess and form no part thereof.

1 Claim, 16 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26



FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48