

(12)

United States Design Patent

Krueger et al.

(10)

Patent No.:

US D689,334 S

(45)

Date of Patent:

** Sep. 10, 2013

(54) **PLASTIC SIDE DISH CONTAINER
COMPRISING A BOWL WITH A
TWELVE-SIDED LID**

(75) Inventors: **Kevin Krueger**, Fenton, MO (US);
Mike Pohlman, Valley Park, MO (US)

(73) Assignee: **Anchor Packaging, Inc.**, St. Louis, MO
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/357,521**

(22) Filed: **Mar. 12, 2010**

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/538**

(58) **Field of Classification Search**
USPC D7/538, 500, 601, 602, 629; D9/424,
D9/430, 428, 425; 220/574, 575, 780, 781,
220/782, 784, 790, 791, 309.2
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS		
D22,701 S	8/1893	McGill
3,045,887 A	7/1962	Caine
3,194,468 A	7/1965	Baron
3,360,153 A	12/1967	Wheaton
3,401,825 A *	9/1968	Weiss 220/787
4,446,969 A	5/1984	Tyler
D323,097 S	1/1992	Picozza
D324,324 S	3/1992	Picozza
D337,051 S	7/1993	Harbeke
D352,423 S	11/1994	Laib
D358,091 S	5/1995	Warburton
D389,061 S *	1/1998	Ebrahim et al. D9/452
D391,850 S	3/1998	Krupa et al.
5,979,687 A *	11/1999	Hayes et al. 220/4.23
D426,427 S	6/2000	Rubbright et al.
D427,902 S *	7/2000	Hayes et al. D9/425
6,175,105 B1	1/2001	Rubbright et al.
6,217,918 B1	4/2001	Oh et al.
D454,304 S	3/2002	Kim et al.
D468,202 S	1/2003	Chou

D473,788 S	4/2003	Chen et al.	
D485,470 S	1/2004	Willis	
D489,254 S *	5/2004	Kocis et al.	D9/425
6,733,852 B2	5/2004	Littlejohn et al.	
D519,327 S *	4/2006	Tucker et al.	D7/629
7,124,910 B2 *	10/2006	Nordland	220/839
D546,626 S	7/2007	Chou	
D549,050 S *	8/2007	Spencer et al.	D7/538
D549,051 S *	8/2007	Nordwall	D7/538
D550,041 S *	9/2007	Rush et al.	D7/542
D551,909 S	10/2007	Eide et al.	
D597,793 S	8/2009	Krueger et al.	
D603,222 S	11/2009	Krueger et al.	
D634,618 S *	3/2011	Colacitti	D9/425
D640,921 S *	7/2011	Caldwell et al.	D9/430
2002/0175171 A1	11/2002	Stewart et al.	
2009/0173656 A1 *	7/2009	Furlong	206/508

OTHER PUBLICATIONS

U.S. Appl. No. 29/354,684, filed Jan. 27, 2010, Cimmerer, et al.
U.S. Appl. No. 29/354,694, filed Jan. 27, 2010, Cimmerer, et al.

* cited by examiner

Primary Examiner — Cynthia Underwood
(74) Attorney, Agent, or Firm — Don V. Kelly; Evans & Dixon, LLC

(57) **CLAIM**

The ornamental design for a plastic side dish container comprising a bowl with a twelve-sided lid, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a plastic side dish container comprising a bowl with a twelve-sided lid depicting a first embodiment of our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is an exploded perspective view thereof, with the lid detached from the bowl for clarity of illustration;




FIG. 9 is top plan view of the lid of FIG. 1, shown, with the bowl removed for ease of illustration;
 FIG. 10 is a bottom plan view of the lid thereof;
 FIG. 11 is a front elevation view of the lid thereof;
 FIG. 12 is a rear elevation view of the lid thereof;
 FIG. 13 is a left side elevation view of the lid thereof;
 FIG. 14 is a right side elevation view of the lid thereof;
 FIG. 15 is a top plan view of the bowl of FIG. 1, shown without the lid for ease of illustration;
 FIG. 16 is a bottom plan view of the bowl thereof;
 FIG. 17 is a front elevation view of the bowl thereof;
 FIG. 18 is a rear elevation view of the bowl thereof;
 FIG. 19 is a left side elevation view of the bowl thereof; and
 FIG. 20 is a right side elevation view of the bowl thereof.
 FIG. 21 is a perspective view of a plastic side dish container comprising a bowl with a twelve-sided lid depicting a second embodiment of our new design;
 FIG. 22 is a front elevation view thereof;
 FIG. 23 is a rear elevation view thereof;
 FIG. 24 is a left side elevation view thereof;
 FIG. 25 is a right side elevation view thereof;
 FIG. 26 is a top plan view thereof;
 FIG. 27 is a bottom plan view thereof;
 FIG. 28 is an exploded perspective view thereof, with the lid detached from the bowl for clarity of illustration;
 FIG. 29 is top plan view of the lid of FIG. 21 shown, with the bowl removed for ease of illustration;
 FIG. 30 is a bottom plan view of the lid thereof;
 FIG. 31 is a front elevation view of the lid thereof;
 FIG. 32 is a rear elevation view of the lid thereof;
 FIG. 33 is a left side elevation view of the lid thereof;
 FIG. 34 is a right side elevation view of the lid thereof;
 FIG. 35 is a top plan view of the bowl of FIG. 21, shown without the lid for ease of illustration;
 FIG. 36 is a bottom plan view of the bowl thereof;

FIG. 37 is a front elevation view of the bowl thereof;
 FIG. 38 is a rear elevation view of the bowl thereof;
 FIG. 39 is a left side elevation view of the bowl thereof; and
 FIG. 40 is a right side elevation view of the bowl thereof.
 FIG. 41 is a perspective view of a plastic side dish container comprising a bowl with a twelve-sided lid depicting a third embodiment of our new design;
 FIG. 42 is a front elevation view thereof;
 FIG. 43 is a rear elevation view thereof;
 FIG. 44 is a left side elevation view thereof;
 FIG. 45 is a right side elevation view thereof;
 FIG. 46 is a top plan view thereof;
 FIG. 47 is a bottom plan view thereof;
 FIG. 48 is an exploded perspective view thereof, with the lid detached from the bowl for clarity of illustration;
 FIG. 49 is top plan view of the lid of FIG. 41, shown with the bowl removed for ease of illustration;
 FIG. 50 is a bottom plan view of the lid thereof;
 FIG. 51 is a front elevation view of the lid thereof;
 FIG. 52 is a rear elevation view of the lid thereof;
 FIG. 53 is a left side elevation view of the lid thereof;
 FIG. 54 is a right side elevation view of the lid thereof;
 FIG. 55 is a top plan view of the bowl of FIG. 41, shown without the lid for ease of illustration;
 FIG. 56 is a bottom plan view of the bowl thereof;
 FIG. 57 is a front elevation view of the bowl thereof;
 FIG. 58 is a rear elevation view of the bowl thereof;
 FIG. 59 is a left side elevation view of the bowl thereof; and,
 FIG. 60 is a right side elevation view of the bowl thereof.
 The broken lines are included for illustrative purposes and form no part of the claimed design.

1 Claim, 60 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30



FIG. 31



FIG. 32




FIG. 33



FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60