

US00D689429S

(12) United States Design Patent

Harris et al.

(10) Patent No.:

US D689,429 S

(45) **Date of Patent:**

** Sep. 10, 2013

(54) TIRE TREAD

(75) Inventors: **Derick Lonell Harris**, Charlotte, NC (US); **James Utah Ford**, Greenville, SC (US); **Kevin Ray Reim**, Simpsonville, SC (US); **Anthony J. McPherson**, Piedmont, SC (US); **John Anthony**

Hutz, Greer, SC (US)

(73) Assignees: Compagnie Generale des

Etablissements Michelin, Clermont-Ferrand (FR); Michelin Recherche et Technique, Granges-Paccot (CH)

(**) Term: 14 Years

(21) Appl. No.: 29/412,746

(22) Filed: Feb. 7, 2012

(52) **U.S. Cl.**

USPC D12/523

(58) Field of Classification Search

USPC .. D12/505–532, 900–901; 152/209.1–209.9, 152/209.11–209.19, 209.21–209.28, 455 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D324,840	S *	3/1992	Maxwell et al D12/523
D347,817	S *	6/1994	Montag D12/523
D387,022	S	12/1997	Williams
D528,499	S	9/2006	Creech et al.
D530,263	S	10/2006	Creech et al.
7,140,410	B2*	11/2006	Helt et al 152/209.5
8,047,243	B2*	11/2011	Simon et al 152/209.28
D676,799	S *	2/2013	Sanae

OTHER PUBLICATIONS

Michelin Energy E3A tire, www.michelinman.com, at least as early as Aug. 22, 2011, 2 pages.

Michelin Energy LX4 tire, www.michelinman.com, at least as early as Aug. 22, 2011, 2 pages.

Michelin Energy Saver A/S tire, www.michelinman.com, at least as early as Aug. 22, 2011, 2 pages.

Michelin Energy Saver tire, www.michelinman.com, at least as early as Aug. 22, 2011, 3 pages.

BFGoodrich g-Force Sport tire, www.bfgoodrichtires.com, at least as early as Aug. 22, 2011, 2 pages.

BFGoodrich Traction T/A tire, www.bfgoodrichtires.com, at least as early as Aug. 22, 2011, 2 pages.

BFGoodrich Traction T/A Spec tire, www.bfgoodrichtires.com, at least as early as Aug. 22, 2011, 2 pages.

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) Attorney, Agent, or Firm — Dority & Manning, P.A.

(57) CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference and shoulder of the tire, the opposite side perspective being identical thereto;


FIG. 2 is a front elevation view thereof;


FIG. 3 is a side elevation view of the right side thereof; and,


FIG. 4 is a side elevation view of the left side thereof.

In the drawings, the dark stippled surface shading represents the recessed groove portions of the tire tread having a depth as best illustrated along the top and bottom edges of FIG. 2. In the drawings, the broken line disclosure of the tire sidewall and inner bead depicts environmental structure and forms no part of the claimed design.


1 Claim, 4 Drawing Sheets









HIG. — 1



HIC, 2



HIG. —3—



HIG. —4—