



US00D689450S

(12) **United States Design Patent**
Shimonishi et al.

(10) **Patent No.:** **US D689,450 S**

(45) **Date of Patent:** **** Sep. 10, 2013**

(54) **LIGHT EMITTING DIODE**

(75) Inventors: **Syota Shimonishi**, Kiyosu (JP);
Hiroyuki Tajima, Kiyosu (JP); **Yosuke Tsuchiya**, Kiyosu (JP); **Akira Sengoku**, Kiyosu (JP)

(73) Assignee: **Toyoda Gosei Co., Ltd.**, Kiyosu-Shi, Aichi-Ken (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/424,056**

(22) Filed: **Jun. 7, 2012**

(30) **Foreign Application Priority Data**

Jan. 24, 2012 (JP) D2011-001205
Jan. 24, 2012 (JP) D2012-001204

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/180**

(58) **Field of Classification Search**
USPC D13/180; D26/1; 257/79, 80, 81,
257/88, 89, 95, 98, 99, 100, E33.058; 313/483,
313/498, 500; 362/555, 800
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D637,564	S	*	5/2011	Tseng et al.	D13/180
D658,600	S	*	5/2012	Egawa et al.	D13/180
D658,601	S	*	5/2012	Egawa et al.	D13/180
D658,602	S	*	5/2012	Egawa et al.	D13/180
D658,603	S	*	5/2012	Egawa et al.	D13/180
D658,604	S	*	5/2012	Egawa et al.	D13/180
D658,605	S	*	5/2012	Egawa et al.	D13/180
D667,803	S	*	9/2012	Hussell et al.	D13/180
D676,000	S	*	2/2013	Hussell et al.	D13/180
2007/0018295	A1	*	1/2007	Kim et al.	257/678
2011/0291151	A1	*	12/2011	Matsuda et al.	257/99
2013/0001604	A1	*	1/2013	Shimonishi et al.	257/88

FOREIGN PATENT DOCUMENTS

JP 1394628 8/2010

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — McGinn IP Law Group, PLLC

(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a light emitting diode showing our new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a right side view thereof;
 FIG. 7 is a left side view thereof;
 FIG. 8 is a reference top plan view showing a translucent portion thereof;
 FIG. 9 is a perspective view of a second embodiment of a light emitting diode showing our new design;
 FIG. 10 is a front view thereof;
 FIG. 11 is a rear view thereof;
 FIG. 12 is a top plan view thereof;
 FIG. 13 is a bottom view thereof;
 FIG. 14 is a right side view thereof;
 FIG. 15 is a left side view thereof; and,
 FIG. 16 is a reference top plan view showing a translucent portion thereof.
 The broken lines are shown for illustrative purposes only and form no part of the claimed design.
 The oblique line shading in FIGS. 8 and 16 indicates translucent portions.

1 Claim, 16 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

