



US00D689490S

(12) **United States Design Patent**  
**Halsinger et al.**

(10) **Patent No.:** **US D689,490 S**

(45) **Date of Patent:** **\*\* Sep. 10, 2013**

(54) **FRONT PORTION OF A COORDINATE INPUT DEVICE**

(75) Inventors: **Kai Halsinger**, Portland, OR (US);  
**Pierre Harper**, Santa Cruz, CA (US);  
**Samuel James Amis**, Portland, OR (US)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/412,785**

(22) Filed: **Feb. 7, 2012**

(30) **Foreign Application Priority Data**

Aug. 8, 2011 (JP) ..... 2011-18158

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/389**

(58) **Field of Classification Search**  
USPC ..... D14/388-390, 341, 383, 374, 381,  
D14/371, 129, 456, 342-346; D19/52; D10/65;  
178/18.01, 18.03-18.09, 18.11; 345/173-178  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D298,489 S *	11/1988	Sornborger	.....	D6/300
D506,074 S *	6/2005	Chen et al.	.....	D6/300
D590,018 S *	4/2009	Nash et al.	.....	D19/52
D623,228 S *	9/2010	Hoch et al.	.....	D19/52
D624,914 S *	10/2010	Wang	.....	D14/371
D625,727 S	10/2010	Crisp		
D625,728 S	10/2010	Crisp		
D629,401 S	12/2010	Crisp		
D629,402 S	12/2010	Crisp		
D631,047 S *	1/2011	Hirota	.....	D14/390
D634,319 S *	3/2011	Andre et al.	.....	D14/341
D662,094 S *	6/2012	Mack et al.	.....	D14/388

D667,395 S *	9/2012	Lee	.....	D14/341
D671,940 S *	12/2012	Kim	.....	D14/374
D672,345 S *	12/2012	Li	.....	D14/341
D673,561 S *	1/2013	Hyun et al.	.....	D14/341
D676,409 S *	2/2013	Kim	.....	D14/138 G
2009/0160790 A1 *	6/2009	Fukushima et al.	.....	345/173
2012/0242592 A1 *	9/2012	Rothkopf et al.	.....	345/173
2013/0082937 A1 *	4/2013	Liu et al.	.....	345/173
2013/0082979 A1 *	4/2013	Rabu et al.	.....	345/175
2013/0113754 A1 *	5/2013	Lee	.....	345/174

**OTHER PUBLICATIONS**

Office Action mailed Jun. 7, 2012, from Japanese Application No. 2011-018158, 3 pages.

“Touch Pad,” Design, Japanese Patent Office, Reference No. HC16044510, as early as Aug. 27, 2004, 1 page.

\* cited by examiner

*Primary Examiner* — Cathron Brooks

*Assistant Examiner* — Katie Mroczka

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a coordinate input device showing our new design;

FIG. 2 is a rear elevation view of the coordinate input device shown in FIG. 1;

FIG. 3 is a left side elevation view thereof;



FIG. 4 is a right side elevation view thereof;


FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.


The broken lines shown in FIGS. 1-6 illustrate environmental subject matter and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






*Fig. 1.*




*Fig. 2.*




*Fig. 3.*



*Fig. 4.*



*Fig. 5.*



*Fig. 6.*

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D689,490 S  
APPLICATION NO. : 29/412785  
DATED : September 10, 2013  
INVENTOR(S) : K. Halsinger et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page:

Item (54) col. 1, and in the Specification, col. 1 Line 1, Title, "FRONT PORTION OF A  
COORDINATE INPUT DEVICE"  
should read --COORDINATE INPUT  
DEVICE--

Signed and Sealed this  
Twenty-second Day of July, 2014



Michelle K. Lee  
*Deputy Director of the United States Patent and Trademark Office*