



(12) **United States Design Patent**
Iyobe

(10) **Patent No.:** **US D689,585 S**
(45) **Date of Patent:** **** Sep. 10, 2013**

(54) **FISHING LURE SKIRT**

(75) Inventor: **Ken Iyobe**, Otsu (JP)

(73) Assignee: **Jackall Inc.**, Otsu (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/396,916**

(22) Filed: **Jul. 8, 2011**

(51) **LOC (9) Cl.** **22-05**

(52) **U.S. Cl.**
USPC **D22/128**

(58) **Field of Classification Search**
USPC D22/126-133; 43/42.28, 42.37,
43/42.39, 42.47

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D158,854	S	*	6/1950	Harvey	D22/128
2,546,437	A	*	3/1951	Gambill	43/42.28
3,382,600	A	*	5/1968	Walters	43/42.15
3,807,079	A	*	4/1974	Goforth	43/42.17
4,893,431	A	*	1/1990	Ehlers	43/42.47
D376,407	S	*	12/1996	Friday	D22/128
D413,647	S	*	9/1999	Laney	D22/128
D427,277	S	*	6/2000	Baron	D22/128
D510,403	S	*	10/2005	Wisneski	D22/128
D652,889	S	*	1/2012	Ashby	D22/128

* cited by examiner

Primary Examiner — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, PLLC

(57) **CLAIM**

The ornamental design for a fishing lure skirt, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a fishing lure skirt according to a first embodiment of the present invention, the rear being identical thereto.

FIG. 2 is a left side elevational view of the fishing lure skirt of FIG. 1, the right side being identical thereto.

FIG. 3 is a right side elevational view of the fishing lure skirt of FIG. 1.

FIG. 4 is a top plan view of the fishing lure skirt of FIG. 1.

FIG. 5 is a bottom plan view of the fishing lure skirt of FIG. 1.

FIG. 6 is a front elevational view of a fishing lure skirt according to a second embodiment of the present invention, the rear being identical thereto.

FIG. 7 is a left side elevational view of the fishing lure skirt of FIG. 6, the right side being identical thereto.

FIG. 8 is a right side elevational view of the fishing lure skirt of FIG. 6.

FIG. 9 is a top plan view of the fishing lure skirt of FIG. 6.

FIG. 10 is a bottom plan view of the fishing lure skirt of FIG. 6.

FIG. 11 is a front elevational view of the fishing lure skirt of FIG. 6 in a use configuration.

FIG. 12 is a front elevational view of a fishing lure skirt according to a third embodiment of the present invention, the rear being identical thereto.

FIG. 13 is a left side elevational view of the fishing lure skirt of FIG. 12, the right side being identical thereto.

FIG. 14 is a right side elevational view of the fishing lure skirt of FIG. 12.

FIG. 15 is a top plan view of the fishing lure skirt of FIG. 12.

FIG. 16 is a bottom plan view of the fishing lure skirt of FIG. 12.

FIG. 17 is a front elevational view of the fishing lure skirt of FIG. 12 in a use configuration.

FIG. 18 is a front elevational view of a fishing lure skirt according to a fourth embodiment of the present invention, the rear being identical thereto.

FIG. 19 is a left side elevational view of the fishing lure skirt of FIG. 18, the right side being identical thereto.

FIG. 20 is a right side elevational view of the fishing lure skirt of FIG. 18.

FIG. 21 is a top plan view of the fishing lure skirt of FIG. 18.

FIG. 22 is a bottom plan view of the fishing lure skirt of FIG. 18.

FIG. 23 is a front elevational view of a fishing lure skirt according to a fifth embodiment of the present invention, the rear being identical thereto.




FIG. 24 is a left side elevational view of the fishing lure skirt of FIG. 23, the right side being identical thereto.

FIG. 25 is a right side elevational view of the fishing lure skirt of FIG. 23.

FIG. 26 is a top plan view of the fishing lure skirt of FIG. 23.

FIG. 27 is a bottom plan view of the fishing lure skirt of FIG. 23.

FIG. 28 is a front elevational view of the fishing lure skirt of FIG. 23 in a use configuration.

FIG. 29 is a front elevational view of a fishing lure skirt according to a sixth embodiment of the present invention, the rear being identical thereto.

FIG. 30 is a left side elevational view of the fishing lure skirt of FIG. 29, the right side being identical thereto.

FIG. 31 is a right side elevational view of the fishing lure skirt of FIG. 29.

FIG. 32 is a top plan view of the fishing lure skirt of FIG. 29.

FIG. 33 is a bottom plan view of the fishing lure skirt of FIG. 29.

FIG. 34 is a front elevational view of the fishing lure skirt of FIG. 29 in a use configuration.

FIG. 35 is a front elevational view of a fishing lure skirt according to a seventh embodiment of the present invention, the rear being identical thereto.

FIG. 36 is a left side elevational view of the fishing lure skirt of FIG. 35, the right side being identical thereto.

FIG. 37 is a right side elevational view of the fishing lure skirt of FIG. 35.

FIG. 38 is a top plan view of the fishing lure skirt of FIG. 35.

FIG. 39 is a bottom plan view of the fishing lure skirt of FIG. 35.

FIG. 40 is a front elevational view of a fishing lure skirt according to an eighth embodiment of the present invention, the rear being identical thereto.

FIG. 41 is a left side elevational view of the fishing lure skirt of FIG. 40, the right side being identical thereto.

FIG. 42 is a right side elevational view of the fishing lure skirt of FIG. 40.

FIG. 43 is a top plan view of the fishing lure skirt of FIG. 40.

FIG. 44 is a bottom plan view of the fishing lure skirt of FIG. 40.

FIG. 45 is a front elevational view of the fishing lure skirt of FIG. 40 in a use configuration.

FIG. 46 is a front elevational view of a fishing lure skirt according to a ninth embodiment of the present invention, the rear being identical thereto.

FIG. 47 is a left side elevational view of the fishing lure skirt of FIG. 46, the right side being identical thereto.

FIG. 48 is a right side elevational view of the fishing lure skirt of FIG. 46.

FIG. 49 is a top plan view of the fishing lure skirt of FIG. 46.

FIG. 50 is a bottom plan view of the fishing lure skirt of FIG. 46.

FIG. 51 is a front elevational view of the fishing lure skirt of FIG. 46 in a use configuration.

FIG. 52 is a front elevational view of a fishing lure skirt according to a tenth embodiment of the present invention, the rear being identical thereto.

FIG. 53 is a left side elevational view of the fishing lure skirt of FIG. 52, the right side being identical thereto.

FIG. 54 is a right side elevational view of the fishing lure skirt of FIG. 52.

FIG. 55 is a top plan view of the fishing lure skirt of FIG. 52.

FIG. 56 is a bottom plan view of the fishing lure skirt of FIG. 52.

FIG. 57 is a front elevational view of a fishing lure skirt according to an eleventh embodiment of the present invention, the rear being identical thereto.

FIG. 58 is a left side elevational view of the fishing lure skirt of FIG. 57, the right side being identical thereto.

FIG. 59 is a right side elevational view of the fishing lure skirt of FIG. 57.

FIG. 60 is a top plan view of the fishing lure skirt of FIG. 57.

FIG. 61 is a bottom plan view of the fishing lure skirt of FIG. 57.

FIG. 62 is a front elevational view of the fishing lure skirt of FIG. 57.

FIG. 63 is a front elevational view of a fishing lure skirt according to a twelfth embodiment of the present invention, the rear being identical thereto.

FIG. 64 is a left side elevational view of the fishing lure skirt of FIG. 63, the right side being identical thereto.

FIG. 65 is a right side elevational view of the fishing lure skirt of FIG. 63.

FIG. 66 is a top plan view of the fishing lure skirt of FIG. 63.

FIG. 67 is a bottom plan view of the fishing lure skirt of FIG. 63; and,

FIG. 68 is a front elevational view of the fishing lure skirt of FIG. 63 in a use configuration.

1 Claim, 20 Drawing Sheets




FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18



FIG. 19




FIG. 20




FIG. 21



FIG. 22




FIG. 23



FIG. 24




FIG. 25




FIG. 26



FIG. 27




FIG. 28




FIG. 29



FIG. 30



FIG. 31



FIG. 32



FIG. 33




FIG. 34




FIG. 35



FIG. 36



FIG. 37




FIG. 38




FIG. 39




FIG. 40



FIG. 41



FIG. 42



FIG. 43




FIG. 44




FIG. 45




FIG. 46



FIG. 47



FIG. 48



FIG. 49



FIG. 50




FIG. 51




FIG. 52



FIG. 53



FIG. 54




FIG. 55




FIG. 56




FIG. 57



FIG. 58



FIG. 59



FIG. 60




FIG. 61




FIG. 62




FIG. 63



FIG. 64



FIG. 65




FIG. 66



FIG. 67




FIG. 68