



US00D690020S

(12) **United States Design Patent**
Quimby

(10) **Patent No.:** **US D690,020 S**
(45) **Date of Patent:** **** Sep. 17, 2013**

(54) **HAND-SUPPORTED FLEXIBLE CHIN SLING**

(71) Applicant: **Air Cradle, LLC**, New London, NH (US)

(72) Inventor: **Michael J. Quimby**, Newbury, NH (US)

(73) Assignee: **Air Cradle, LLC**, New London, NH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/453,347**

(22) Filed: **Apr. 29, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/438,161, filed on Nov. 27, 2012, now Pat. No. Des. 683,860.

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/191**

(58) **Field of Classification Search**
USPC D24/188-191, 206-207; D2/891, D2/892, 871, 877; D29/101.1, 108, 122; D21/662; 128/DIG. 15, 848, 857; 602/6, 602/17, 18, 36, 74, 79, 902; 606/204.35; 2/9, 171.2, 421, 422, 425; D16/339
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,110,772	A *	9/1914	Gunderman	128/848
1,247,222	A *	11/1917	Cauffman	128/848
1,274,636	A *	8/1918	Tucker	606/204.35
1,519,915	A *	12/1924	Johnson	128/848
1,674,541	A *	6/1928	Brundidge	606/204.35

1,992,904	A *	2/1935	Preston	602/17
2,024,491	A *	12/1935	Veysey	602/79
2,065,191	A *	12/1936	Loeber	601/136
3,312,217	A *	4/1967	McKinstry	128/848
3,776,244	A *	12/1973	Morgan	132/273
3,805,782	A *	4/1974	Welch	606/204.35
5,020,536	A *	6/1991	Keen	607/109
D331,115	S *	11/1992	Stout	D24/206
5,277,700	A *	1/1994	Smith	602/74
5,692,524	A *	12/1997	Ramirez	128/876
D407,821	S *	4/1999	Steele	D24/190
6,277,053	B1 *	8/2001	Desembrana	482/11
7,000,615	B2 *	2/2006	Taylor-Kennedy	128/857
D683,860	S *	6/2013	Quimby	D24/191
D685,915	S *	7/2013	Reams	D24/191

* cited by examiner

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Michael J. Weins; Jeffrey E. Semprebon

(57) **CLAIM**

The ornamental design for a hand-supported flexible chin sling, as is shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hand-supported flexible chin sling showing my new invention, in condition of use.

FIG. 2 is a top view thereof, the bottom view being identical to the top view.

FIG. 3 is a right side view thereof, the left side being a mirror image of the right side; and,

FIG. 4 is a front end view thereof, the rear end being a mirror image of the front end.

The broken lines showing a face and hands in FIG. 1 illustrate environmental structure and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Figure 1




Figure 4




Figure 2



Figure 3