



US00D690120S

(12) **United States Design Patent**  
**Goldberg**

(10) **Patent No.:** **US D690,120 S**

(45) **Date of Patent:** **\*\* Sep. 24, 2013**

(54) **VEHICLE SAFETY SEAT**

(71) Applicant: **Ely Goldberg**, Dollard des Ormeaux  
(CA)

(72) Inventor: **Ely Goldberg**, Dollard des Ormeaux  
(CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/434,292**

(22) Filed: **Oct. 11, 2012**

(51) **LOC (9) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/356**

(58) **Field of Classification Search**

USPC ..... D6/333-336, 339, 367-368, 356,  
D6/375, 390, 716, 716.1-716.7; 297/250.1,  
297/229, 256.15-256.17, 488, 184.13, 183.1-183.4,  
297/183.6; 5/655, 93.1, 94, 101, 105, 98.1,  
5/99.1; D3/213-214; D12/129; D21/419,  
D21/412; 280/30-31; 4/572.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D262,242 S	12/1981	Molnar	
D315,255 S *	3/1991	Beermann	D6/356
D338,343 S	8/1993	Grange	
D360,307 S	7/1995	Kain	
D383,316 S	9/1997	Kain	
D453,631 S	2/2002	Kassai et al.	
D456,151 S *	4/2002	Kassai et al.	D6/333
D461,646 S	8/2002	Kain	
D513,888 S *	1/2006	Jane Santamaria	D6/333
D534,362 S *	1/2007	Batchelor	D6/333
D537,640 S	3/2007	Spence et al.	
D604,054 S *	11/2009	Biaud	D6/333
D620,719 S *	8/2010	Li et al.	D6/333

(Continued)

**OTHER PUBLICATIONS**

United States Patent and Trademark Office; Notice of Allowance dated Dec. 20, 2012 issued in respect of U.S. Appl. No. 29/434,284; 6 pages.

(Continued)

*Primary Examiner* — Caron D Veynar

*Assistant Examiner* — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Norton Rose Fulbright  
Canada LLP

(57) **CLAIM**



The ornamental design for a vehicle safety seat, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, and left side perspective view of a vehicle safety seat showing our new design;  
 FIG. 2 is a front elevation view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a left side elevation view thereof;  
 FIG. 5 is a right side elevation view thereof;  
 FIG. 6 is a rear elevation view thereof;  
 FIG. 7 is a bottom plan view thereof;  
 FIG. 8 is a top, front, and left side perspective view of a vehicle safety seat according to our design, in a folded configuration;  
 FIG. 9 is a front elevation view of the vehicle safety seat of FIG. 8;  
 FIG. 10 is a top plan view of the vehicle safety seat of FIG. 8;  
 FIG. 11 is a left side elevation view of the vehicle safety seat of FIG. 8;  
 FIG. 12 is a right side elevation view of the vehicle safety seat of FIG. 8;  
 FIG. 13 is a rear elevation view of the vehicle safety seat of FIG. 8; and,  
 FIG. 14 is a bottom plan view of the vehicle safety seat of FIG. 8.

The broken lines shown throughout the drawing views are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 14 Drawing Sheets**



(56)

**References Cited**

**OTHER PUBLICATIONS**

U.S. PATENT DOCUMENTS

D626,758 S 11/2010 Hartenstine et al.  
D629,220 S \* 12/2010 Xu et al. .... D6/333  
D630,448 S 1/2011 Xu et al.  
D632,501 S 2/2011 Cymbalski et al.  
D636,190 S 4/2011 Werschmidt et al.  
D653,463 S 2/2012 Hartenstine et al.  
D655,925 S 3/2012 Hartenstine et al.  
D661,500 S 6/2012 Hutchinson et al.  
D662,720 S 7/2012 Gillett et al.

United States Patent and Trademark Office; Notice of Allowance  
dated Dec. 20, 2012 issued in respect of U.S. Appl. No. 29/434,288;  
6 pages.

\* cited by examiner






Fig-1





*Fig. 2*



*Fig-3*




FIG-4




Fig. 5




Fig. 6






Fig-7





Fig. 8



*Fig-9*






Fig-10






*Fig- 11*



*Fig. 12*



*Fig-13*




Fig-14