



US00D690426S

(12) **United States Design Patent**  
**Houston et al.**

(10) **Patent No.:** **US D690,426 S**

(45) **Date of Patent:** **\*\* Sep. 24, 2013**

(54) **SWADDLING DEVICE**

(75) Inventors: **Robert Houston**, Oak Park, IL (US);  
**Anna Jones**, Oak Park, IL (US)

(73) Assignee: **Anna & Eve, LLC**, Oak Park, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/423,739**

(22) Filed: **Jun. 4, 2012**

(51) **LOC (9) Cl.** ..... **24-01**

(52) **U.S. Cl.**  
USPC ..... **D24/190**

(58) **Field of Classification Search**  
USPC ..... D24/183, 184, 188–191; D29/100,  
D29/101.3; 5/485, 494, 652, 655; 602/5,  
602/6, 18, 19, 20; 128/873, 876, 878–881  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,331,783	A *	10/1943	Johnstone	.....	128/876
4,833,730	A *	5/1989	Nelson	.....	2/44
5,016,650	A *	5/1991	Marlar	.....	128/878
5,129,406	A *	7/1992	Magnusen et al.	.....	128/873
5,425,381	A *	6/1995	Peterson et al.	.....	5/652
5,439,008	A *	8/1995	Bowman	.....	128/875
5,483,714	A *	1/1996	Casassa	.....	5/655
5,484,395	A *	1/1996	DeRoche	.....	602/19
5,518,009	A *	5/1996	Ruiz-Gonzalez	.....	128/869
5,746,219	A *	5/1998	McConnell	.....	128/845
5,820,575	A *	10/1998	Cabrera et al.	.....	602/19
6,080,121	A *	6/2000	Madow et al.	.....	602/5
6,755,799	B2 *	6/2004	Toda	.....	602/19
D492,787	S *	7/2004	Weaver et al.	.....	D24/190

6,834,405	B1 *	12/2004	Hillstead	.....	5/655
7,449,006	B2 *	11/2008	Wolanske	.....	602/19
D626,244	S *	10/2010	Sagnip et al.	.....	D24/190
8,011,037	B1 *	9/2011	Earnest	.....	5/494
8,012,113	B2 *	9/2011	Lee et al.	.....	602/19
8,191,188	B2 *	6/2012	Kaplan et al.	.....	5/485
2008/0029103	A1 *	2/2008	Regev et al.	.....	128/875
2009/0025735	A1 *	1/2009	Lavigne	.....	128/876

\* cited by examiner

*Primary Examiner* — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Richards Patent Law P.C.

(57) **CLAIM**

The ornamental design for a swaddling device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front side view of a swaddling device showing our new design in use with an infant;  
 FIG. 2 is another front side view thereof, in use with an infant with the outer portion disengaged;  
 FIG. 3 is a front side view thereof;  
 FIG. 4 is a back side view thereof;  
 FIG. 5 is a top view thereof;  
 FIG. 6 is a bottom view thereof;  
 FIG. 7 is a left side view thereof; and,  
 FIG. 8 is a right side view thereof.

The long dashed lines and the short broken lines showing a baby, in FIGS. 1 and 2, illustrate environmental structure and form no part of the claimed design. The short dashed broken lines around the perimeter of the swaddling device illustrate stitch lines and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

