



US00D690475S

(12) **United States Design Patent**
Chapin

(10) **Patent No.:** **US D690,475 S**

(45) **Date of Patent:** **** Sep. 24, 2013**

(54) **RETRACTABLE LEASH**

(71) Applicant: **Paul W. Chapin**, Minneapolis, MN (US)

(72) Inventor: **Paul W. Chapin**, Minneapolis, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/440,956**

(22) Filed: **Dec. 28, 2012**

(51) **LOC (9) Cl.** **30-04**

(52) **U.S. Cl.**
USPC **D30/153**

(58) **Field of Classification Search**
USPC D30/144, 145, 146, 151, 152, 153,
D30/199; D2/767, 500, 507, 602, 603, 609,
D2/627, 629, 639; D3/215; 2/129, 131,
2/133, 141.1, 301, 311, 321, 322, 336, 908,
2/911, 912, 916, 919, 920; 119/769, 772,
119/792, 793, 794, 795, 796, 797, 798, 815,
119/850, 855, 856, 858-860, 863-865, 907,
119/174, 709, 770; D11/1-6, 11, 86, 87,
D11/200, 201, 215, 218, 231; 70/459; 16/405
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

649,832	A *	5/1900	Furnivall	16/405
2,737,154	A *	3/1956	Michonski	119/798
2,911,947	A *	11/1959	Kramer	119/798
2,994,300	A	8/1961	Grahling	
341,912	A	11/1993	Ayala	
D341,912	S *	11/1993	Ayala	D30/153
5,497,733	A *	3/1996	Hull et al.	119/793
388,558	A	12/1997	Miller	
5,873,328	A *	2/1999	Campbell	119/798
D454,670	S	3/2002	Weller	
D455,527	S *	4/2002	Epstein	D30/153

D503,249	S	3/2005	Avenia	
D571,059	S	6/2008	Napolitano	
D653,002	S	1/2012	Hull	
D654,231	S	2/2012	Clayton	
D654,638	S *	2/2012	LaCross	D30/153
D667,631	S	9/2012	Minn et al.	
8,267,050	B1 *	9/2012	Hatcher et al.	119/797
D674,593	S	1/2013	Minn et al.	
D676,618	S	2/2013	Kalbach	
2008/0216769	A1 *	9/2008	LaCross	119/798
2009/0235873	A1 *	9/2009	Gould et al.	119/770
2009/0320769	A1 *	12/2009	McCay	119/798
2011/0000440	A1 *	1/2011	Mucerino et al.	119/709

* cited by examiner

Primary Examiner — Caron D Veynar

Assistant Examiner — Martie K Holtje

(74) *Attorney, Agent, or Firm* — Patterson Thunte Pedersen, P.A.


(57) **CLAIM**

The ornamental design for a retractable leash, as shown and described.

DESCRIPTION

FIG. 1 is a top, right front perspective view of a retractable leash showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a side elevational view thereof; and,
FIG. 6 is a bottom plan view thereof.
The features depicted by broken lines have been shown for the purpose of illustrating portions of the retractable leash that form no part of the claimed design.
FIGS. 1 and 4 through 6 have been shown with a symbolic break in length, wherein the appearance of any portion between the break lines form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 4




Fig. 5




Fig. 6

