



US00D690600S

(12) **United States Design Patent**  
**Reynolds**

(10) **Patent No.:** **US D690,600 S**

(45) **Date of Patent:** **\*\* Oct. 1, 2013**

(54) **CARAFE**

(75) **Inventor:** **Fraser Reynolds**, London (GB)

(73) **Assignee:** **Saverglass Inc.**, Ramsey, NJ (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/403,831**

(22) **Filed:** **Oct. 11, 2011**

(51) **LOC (9) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/542; D9/559; D9/571; D9/573;**  
D9/574

(58) **Field of Classification Search**  
USPC ..... D9/516, 529–530, 539, 541–544,  
D9/546, 571–574, 682–694; 215/379, 381–382,  
215/384; 220/660, 662, 669  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|               |         |                |       |           |
|---------------|---------|----------------|-------|-----------|
| D89,420 S *   | 3/1933  | Smith          | ..... | D9/574    |
| D108,727 S *  | 3/1938  | Dunnock        | ..... | D9/542    |
| D157,042 S *  | 1/1950  | Gowdy          | ..... | D9/542    |
| D168,390 S *  | 12/1952 | Baird          | ..... | D9/574    |
| D187,959 S *  | 5/1960  | Landor         | ..... | D9/542    |
| 5,370,266 A * | 12/1994 | Woodruff       | ..... | 222/212 X |
| D364,092 S *  | 11/1995 | Feen           | ..... | D9/542    |
| D380,389 S *  | 7/1997  | Crawford       | ..... | D9/542    |
| D417,850 S *  | 12/1999 | Miller         | ..... | D9/571 X  |
| D481,639 S *  | 11/2003 | Crawford       | ..... | D9/574 X  |
| D522,876 S *  | 6/2006  | Braaten et al. | ..... | D9/691    |
| D528,006 S *  | 9/2006  | Walther et al. | ..... | D9/542    |

|              |         |                     |       |          |
|--------------|---------|---------------------|-------|----------|
| D541,660 S * | 5/2007  | Mayers              | ..... | D9/574 X |
| D546,189 S * | 7/2007  | Costello et al.     | ..... | D9/574 X |
| D548,610 S * | 8/2007  | Schneider           | ..... | D9/621   |
| D558,590 S * | 1/2008  | Cowan-Hughes et al. | ....  | D9/682   |
| D590,268 S * | 4/2009  | Floyd et al.        | ..... | D9/543   |
| D607,734 S * | 1/2010  | Kuzma et al.        | ..... | D9/539   |
| D607,735 S * | 1/2010  | Kuzma et al.        | ..... | D9/539   |
| D621,273 S * | 8/2010  | Bruscha et al.      | ..... | D9/542   |
| D642,475 S * | 8/2011  | Crutchley et al.    | ..... | D9/571 X |
| D654,800 S * | 2/2012  | Geeraert et al.     | ..... | D9/565   |
| D669,788 S * | 10/2012 | MacLean et al.      | ..... | D9/565 X |
| D670,172 S * | 11/2012 | Bruscha et al.      | ..... | D9/571 X |
| D674,701 S * | 1/2013  | Claassen            | ..... | D9/574 X |

\* cited by examiner

*Primary Examiner* — Carol P Rademaker

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **CLAIM**

The ornamental design for a carafe, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, left side perspective view of a carafe showing my new design.

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5






FIG. 6




FIG. 7