



US00D690644S

(12) **United States Design Patent**
Bowman et al.

(10) **Patent No.:** **US D690,644 S**
(45) **Date of Patent:** **** Oct. 1, 2013**

(54) **SET OF WHEEL CHOCKS**

(71) Applicants: **Donald Bowman**, Lethbridge (CA);
Randall Bowman, Calgary (CA)

(72) Inventors: **Donald Bowman**, Lethbridge (CA);
Randall Bowman, Calgary (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/447,586**

(22) Filed: **Mar. 5, 2013**

(51) **LOC (9) Cl.** **12-06**

(52) **U.S. Cl.**
USPC **D12/217**

(58) **Field of Classification Search**
USPC D12/217, 203, 400, 120, 180, 114;
14/69.5, 71.5; 280/293, 507; 267/139-140;
410/30, 49, 9; 211/20; 188/5, 32, 36, 4 R;
186/32, 52; 248/346, 352, 221.12, 222.41,
248/222.51

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,227,633	A	10/1980	Sellberg	
4,399,893	A	8/1983	Switzer	
D283,022	S *	3/1986	Cameron	D12/217
5,137,121	A	8/1992	Leonard	
5,173,018	A	12/1992	Kissel et al.	
5,312,213	A	5/1994	Winsor	
D365,078	S *	12/1995	Ziaylek	D12/217
5,593,260	A	1/1997	Zimmerman	
5,664,930	A	9/1997	Ellis	
5,689,981	A	11/1997	DeLuca et al.	
5,908,274	A	6/1999	Silberman	
6,099,219	A	8/2000	Bartholomay	

D432,976	S *	10/2000	Chiang	D12/217
6,227,512	B1	5/2001	Andre et al.	
D489,310	S *	5/2004	Olson et al.	D12/217
6,938,734	B2	9/2005	Curl	
D511,734	S *	11/2005	Moore et al.	D12/217
D520,438	S *	5/2006	Colak et al.	D12/217
7,150,592	B2	12/2006	Anderson et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

CA	1287520	C	8/1991
CA	2650090	A1	7/2009

Primary Examiner — Stacia Cadmus

(74) Attorney, Agent, or Firm — Davis & Bujold, PLLC



(57) **CLAIM**

We claim the ornamental design for a set of wheel chocks, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a right wheel chock. FIG. 2 is a rear perspective view of the right wheel chock. FIG. 3 is a front perspective view of a left wheel chock which is a mirror image of the left wheel chock shown in FIG. 1. FIG. 4 is a rear perspective view of the left wheel chock which is a mirror image of the left wheel chock shown in FIG. 2. FIG. 5 is a top plan view of the right wheel chock. FIG. 6 is a right side elevation view of the left wheel chock. FIG. 7 is front elevation view of the right wheel chock. FIG. 8 is a rear elevation view of the right wheel chock. FIG. 9 is a left side elevation view of the right wheel chock. FIG. 10 is a bottom plan view of the right wheel chock; and, FIG. 11 is a perspective view of a left wheel chock and a right wheel chock, each with a raised wheel retainer.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D547,712 S * 7/2007 Hartmann D12/217

7,264,092 B2 9/2007 Jette

7,287,942 B1 10/2007 Valkenburgh

D566,029 S * 4/2008 Swinson, III D12/217

D601,479 S * 10/2009 Shaw D12/217

7,959,389 B2 6/2011 Fischer

D655,667 S * 3/2012 Angus et al. D12/217

2005/0047887 A1 3/2005 Kenny

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11