

US00D690677S

(12) **United States Design Patent**
Daniel

(10) **Patent No.:** **US D690,677 S**
(45) **Date of Patent:** **** Oct. 1, 2013**

- (54) **COMMUNICATION DEVICE WITH A BIOMETRIC VERIFICATION MEANS**
- (76) Inventor: **Isaac S. Daniel**, Miramar, FL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/411,054**
- (22) Filed: **Jan. 16, 2012**
Related U.S. Application Data
- (63) Continuation-in-part of application No. 29/410,761, filed on Jan. 11, 2012.
- (51) **LOC (9) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D14/138 AD; D14/138 R**
- (58) **Field of Classification Search**
USPC D14/138 G, 138 AD, 341, 346, 138 R,
D14/138 AC, 496, 203.1, 203.4, 203.7, 248,
D14/218, 436, 435, 383-385; 455/575.1,
455/556.2, 575.3, 575.4; D21/517;
379/433.01, 433.04; D10/65, 78, 104;
D13/168
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,563,400 A * 10/1996 Le Roux 235/486
- 5,661,632 A * 8/1997 Register 361/679.3

(Continued)

OTHER PUBLICATIONS

Motorola XT701 telephone, announced Dec. 2009, [online], [site visited May 1, 2013]. Available from Internet, <URL: http://www.gsmarena.com/motorola_xt701-3071.php>.*

(Continued)

Primary Examiner — Jeffrey D Asch
(74) *Attorney, Agent, or Firm* — Carol N. Green, Esq.

(57) **CLAIM**
The ornamental design for a communication device with a biometric verification means, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom, left perspective view of a communication device with a biometric verification means in the closed position.




FIG. 2 is a front, bottom, left perspective view of a communication device with a biometric verification means in the open position.

FIG. 3 is a front, top, right perspective view of a communication device with a biometric verification means in the closed position.

FIG. 4 is a front, top, right perspective view of a communication device with a biometric verification means in the open position.

FIG. 5 is a rear, top, left perspective view of a communication device with a biometric verification means in the closed position.

FIG. 6 is a rear, top, left perspective view of a communication device with a biometric verification means in the open position.

FIG. 7 is a front view of a communication device with a biometric verification means in the closed position.

FIG. 8 is a front view of a communication device with a biometric verification means in the open position.

FIG. 9 is a rear view of a communication device with a biometric verification means in the closed position.

FIG. 10 is a rear view of a communication device with a biometric verification means in the open position.

FIG. 11 is a right side view of a communication device with a biometric verification means in the closed position.

FIG. 12 is a right side view of a communication device with a biometric verification means in the open position.

FIG. 13 is a left side view of a communication device with a biometric verification means in the closed position.

FIG. 14 is a left side view of a communication device with a biometric verification means in the open position.

FIG. 15 is a top plan view of a communication device with a biometric verification means in the closed position.


FIG. 16 is a top plan view of a communication device with a biometric verification means in the open position.

FIG. 17 is a bottom plan view of a communication device with a biometric verification means in the closed position; and,

FIG. 18 is a bottom plan view of a communication device with a biometric verification means in the open position.

The broken lines showing displayed information in FIGS. 1 and 2 are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design. The display area as shown in FIGS. 3 and 4 and FIGS. 7 and 8 is claimed in all views.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,867,795 A * 2/1999 Novis et al. 455/566
 6,213,403 B1 * 4/2001 Bates, III 235/492
 D460,453 S * 7/2002 Homma et al. D14/435
 6,427,078 B1 * 7/2002 Wilska et al. 455/550.1
 6,550,684 B1 * 4/2003 Zuin et al. 235/486
 6,592,031 B1 * 7/2003 Klatt 235/382
 6,724,370 B2 * 4/2004 Dutta et al. 345/169
 D528,097 S * 9/2006 Kim D14/138 G
 7,110,574 B2 * 9/2006 Haruki et al. 382/115
 7,151,673 B2 * 12/2006 Le et al. 361/737
 7,221,961 B1 * 5/2007 Fukumoto et al. 455/557
 D560,665 S * 1/2008 Wang et al. D14/432
 7,321,783 B2 * 1/2008 Kim 455/556.1

D613,722 S * 4/2010 Kaneta D14/138 G
 D614,184 S * 4/2010 Daniel D14/346
 D622,692 S * 8/2010 McWilliam et al. D14/138 G
 7,822,446 B2 * 10/2010 Vatanparast et al. 455/575.4
 D628,997 S * 12/2010 Daniel D14/341
 D647,498 S * 10/2011 Lee et al. D14/138 G
 D676,008 S * 2/2013 Park et al. D14/138 G
 D679,269 S * 4/2013 Fahlgren et al. D14/248
 2010/0321159 A1 * 12/2010 Stewart 340/5.83

OTHER PUBLICATIONS

Motorola Droid RAZR HD telephone, announced Sep. 2012, [online], [site visited May 1, 2013]. Available from Internet, <URL: http://www.gsmarena.com/motorola_droid_razr_hd-4971.php>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7




FIG. 10




FIG. 9




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18