



US00D690697S

(12) **United States Design Patent**  
**Jonsson et al.**

(10) **Patent No.:** **US D690,697 S**  
(45) **Date of Patent:** **\*\* Oct. 1, 2013**

(54) **COORDINATE INPUT DEVICE**

(75) Inventors: **Carl Jonsson**, Portland, OR (US); **Jason Martin**, Lake Oswego, OR (US); **Patrick Triato**, Portland, OR (US)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/424,420**

(22) Filed: **Jun. 12, 2012**

(30) **Foreign Application Priority Data**

Dec. 12, 2011 (JP) ..... 2011-28824  
Dec. 12, 2011 (JP) ..... 2011-28825

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/390**

(58) **Field of Classification Search**  
USPC ..... D14/388-390, 341, 383, 374, 381,  
D14/371, 129, 456; D19/52; D10/65;  
178/18.01, 18.03-18.09, 18.11; 345/173-178  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D554,640 S \* 11/2007 Ponnert et al. .... D14/388  
D590,018 S \* 4/2009 Nash et al. .... D19/52  
D602,014 S \* 10/2009 Andre et al. .... D14/341  
D624,914 S \* 10/2010 Wang ..... D14/371  
D625,726 S \* 10/2010 Crisp et al. .... D14/389  
D629,400 S 12/2010 Harper  
D629,402 S \* 12/2010 Crisp et al. .... D14/390  
D631,047 S 1/2011 Hirota  
D634,319 S \* 3/2011 Andre et al. .... D14/341  
D648,723 S 11/2011 Harper  
D662,094 S \* 6/2012 Mack et al. .... D14/388  
D667,395 S \* 9/2012 Lee ..... D14/341

D671,940 S \* 12/2012 Kim ..... D14/374  
D672,345 S \* 12/2012 Li ..... D14/341  
D673,561 S \* 1/2013 Hyun et al. .... D14/341  
D679,274 S \* 4/2013 Canizares et al. .... D14/341  
2012/0218206 A1\* 8/2012 Sato et al. .... 345/173

(Continued)

**FOREIGN PATENT DOCUMENTS**

JP D1372958 S 11/2009  
JP D1372960 S 11/2009  
JP D1372961 S 11/2009  
JP D1372962 S 11/2009

**OTHER PUBLICATIONS**

“Virtuoso T5000 (Kanvus Virtuoso T5000),” Product Information, Kanvus, Jhonghe City, Taiwan, <[http://www.kanvus-global.com/main/prod\\_in.aspx?mnuid=1524&modid=26&prodid=454&flag=1](http://www.kanvus-global.com/main/prod_in.aspx?mnuid=1524&modid=26&prodid=454&flag=1)> [retrieved Feb. 13, 2013].

*Primary Examiner* — Cathron Brooks

*Assistant Examiner* — Katie Mroczka

(74) *Attorney, Agent, or Firm* — Christensen O’Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a coordinate input device showing our new design;  
FIG. 2 is a rear elevation view thereof;  
FIG. 3 is a left side elevation view thereof;  
FIG. 4 is a right side elevation view thereof;  
FIG. 5 is a top plan view thereof, wherein the bottom plan view is the same as the top plan view;  
FIG. 6 is a top front left isometric view thereof; and,  
FIG. 7 is a close up view of a portion A-A of FIG. 6.

**1 Claim, 5 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

2012/0242592 A1 *	9/2012	Rothkopf et al. ....	345/173	2013/0082937 A1 *	4/2013	Liu et al. ....	345/173
2013/0009889 A1 *	1/2013	Weng .....	345/173	2013/0082979 A1 *	4/2013	Rabu et al. ....	345/175
				2013/0113754 A1 *	5/2013	Lee .....	345/174


\* cited by examiner



*Fig. 1.*



*Fig. 2.*




*Fig. 3.*




*Fig. 4.*



*Fig. 5.*



*Fig. 6.*



*Fig. 7.*