

US00D690700S

(12) **United States Design Patent**  
**Jonsson et al.**

(10) **Patent No.:** **US D690,700 S**  
(45) **Date of Patent:** **\*\* Oct. 1, 2013**

(54) **COORDINATE INPUT DEVICE**

(75) Inventors: **Carl Jonsson**, Portland, OR (US); **Jason Martin**, Lake Oswego, OR (US); **Patrick Triato**, Portland, OR (US)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/424,431**

(22) Filed: **Jun. 12, 2012**

(30) **Foreign Application Priority Data**

Dec. 12, 2011 (JP) ..... 2011-28831

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/390**

(58) **Field of Classification Search**  
USPC ..... D14/388–390, 341, 383, 374, 381,  
D14/371, 129, 456; D19/52; D10/65;  
178/18.01, 18.03–18.09, 18.11; 345/173–178  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D554,640 S *	11/2007	Ponnert et al.	.....	D14/388
D590,018 S *	4/2009	Nash et al.	.....	D19/52
D602,014 S *	10/2009	Andre et al.	.....	D14/341
D624,914 S *	10/2010	Wang	.....	D14/371
D625,726 S *	10/2010	Crisp et al.	.....	D14/389
D629,400 S	12/2010	Harper		
D629,402 S *	12/2010	Crisp et al.	.....	D14/390
D631,047 S	1/2011	Hirota		
D634,319 S *	3/2011	Andre et al.	.....	D14/341
D648,723 S	11/2011	Harper		
D662,094 S *	6/2012	Mack et al.	.....	D14/388
D667,395 S *	9/2012	Lee	.....	D14/341
D671,940 S *	12/2012	Kim	.....	D14/374

D672,345 S *	12/2012	Li	.....	D14/341
D673,561 S *	1/2013	Hyun et al.	.....	D14/341
D679,274 S *	4/2013	Canizares et al.	.....	D14/341
2012/0218206 A1 *	8/2012	Sato et al.	.....	345/173
2012/0242592 A1 *	9/2012	Rothkopf et al.	.....	345/173

(Continued)

FOREIGN PATENT DOCUMENTS

JP	D1372958 S	11/2009
JP	D1372960 S	11/2009
JP	D1372961 S	11/2009
JP	D1372962 S	11/2009

OTHER PUBLICATIONS

“Virtuoso T5000 (Kanvus Virtuoso T5000),” Product Information, Kanvus, Jhonghe City, Taiwan, <[http://www.kanvus-global.com/main/prod\\_in.aspx?mnuid=1524&modid=26&prodid=454&flag=1](http://www.kanvus-global.com/main/prod_in.aspx?mnuid=1524&modid=26&prodid=454&flag=1)> [retrieved Feb. 13, 2013].

*Primary Examiner* — Cathron Brooks

*Assistant Examiner* — Katie Mroczka

(74) *Attorney, Agent, or Firm* — Christensen O’Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a coordinate input device showing our new design;  
FIG. 2 is a rear elevation view thereof;  
FIG. 3 is a left side elevation view thereof;  
FIG. 4 is a right side elevation view thereof;  
FIG. 5 is a top plan view thereof, wherein the bottom plan view is the same as the top plan view;  
FIG. 6 is a top front left isometric view thereof; and,  
FIG. 7 is a close up view of portion A-A of FIG. 6.

**1 Claim, 5 Drawing Sheets**



# US D690,700 S

Page 2

---


(56)

## References Cited


### U.S. PATENT DOCUMENTS

2013/0082937 A1*	4/2013	Liu et al. ....	345/173
2013/0082979 A1*	4/2013	Rabu et al. ....	345/175
2013/0113754 A1*	5/2013	Lee .....	345/174
2013/0009889 A1*	1/2013	Weng .....	345/173

\* cited by examiner



*Fig. 1.*




*Fig. 2.*




*Fig. 3.*




*Fig. 4.*



*Fig. 5.*



*Fig. 6.*



*Fig. 7.*