



US00D690700S

(12) **United States Design Patent**
Jonsson et al.

(10) **Patent No.:** **US D690,700 S**
(45) **Date of Patent:** **** Oct. 1, 2013**

(54) **COORDINATE INPUT DEVICE**

(75) Inventors: **Carl Jonsson**, Portland, OR (US); **Jason Martin**, Lake Oswego, OR (US); **Patrick Triato**, Portland, OR (US)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/424,431**

(22) Filed: **Jun. 12, 2012**

(30) **Foreign Application Priority Data**

Dec. 12, 2011 (JP) 2011-28831

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/390**

(58) **Field of Classification Search**
USPC D14/388–390, 341, 383, 374, 381,
D14/371, 129, 456; D19/52; D10/65;
178/18.01, 18.03–18.09, 18.11; 345/173–178
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D554,640 S * 11/2007 Ponnert et al. D14/388
D590,018 S * 4/2009 Nash et al. D19/52
D602,014 S * 10/2009 Andre et al. D14/341
D624,914 S * 10/2010 Wang D14/371
D625,726 S * 10/2010 Crisp et al. D14/389
D629,400 S 12/2010 Harper
D629,402 S * 12/2010 Crisp et al. D14/390
D631,047 S 1/2011 Hirota
D634,319 S * 3/2011 Andre et al. D14/341
D648,723 S 11/2011 Harper
D662,094 S * 6/2012 Mack et al. D14/388
D667,395 S * 9/2012 Lee D14/341
D671,940 S * 12/2012 Kim D14/374

D672,345 S * 12/2012 Li D14/341
D673,561 S * 1/2013 Hyun et al. D14/341
D679,274 S * 4/2013 Canizares et al. D14/341
2012/0218206 A1 * 8/2012 Sato et al. 345/173
2012/0242592 A1 * 9/2012 Rothkopf et al. 345/173

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1372958 S 11/2009
JP D1372960 S 11/2009
JP D1372961 S 11/2009
JP D1372962 S 11/2009

OTHER PUBLICATIONS

“Virtuoso T5000 (Kanvus Virtuoso T5000),” Product Information, Kanvus, Jhonghe City, Taiwan, <http://www.kanvus-global.com/main/prod_in.aspx?mnuid=1524&modid=26&prodid=454&flag=1> [retrieved Feb. 13, 2013].

Primary Examiner — Cathron Brooks

Assistant Examiner — Katie Mroczka

(74) *Attorney, Agent, or Firm* — Christensen O’Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a coordinate input device showing our new design;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a top plan view thereof, wherein the bottom plan view is the same as the top plan view;
FIG. 6 is a top front left isometric view thereof; and,
FIG. 7 is a close up view of portion A-A of FIG. 6.

1 Claim, 5 Drawing Sheets



US D690,700 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0082937 A1*	4/2013	Liu et al.	345/173
2013/0082979 A1*	4/2013	Rabu et al.	345/175
2013/0113754 A1*	5/2013	Lee	345/174
2013/0009889 A1*	1/2013	Weng	345/173

* cited by examiner




Fig. 1.




Fig. 2.



Fig. 3.



Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.