

US00D690701S

(12) **United States Design Patent**
Jonsson

(10) **Patent No.:** **US D690,701 S**
(45) **Date of Patent:** **** Oct. 1, 2013**

(54) **COORDINATE INPUT DEVICE**

(75) Inventor: **Carl Jonsson**, Portland, OR (US)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/424,454**

(22) Filed: **Jun. 12, 2012**

(30) **Foreign Application Priority Data**

Dec. 12, 2011 (JP) 2011-28827

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/390**

(58) **Field of Classification Search**
USPC D14/388–390, 341, 383, 374, 381,
D14/371, 129, 456; D19/52; D10/65;
178/18.01, 18.03–18.09, 18.11; 345/173–178
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D554,640 S *	11/2007	Ponnert et al.	D14/388
D587,267 S *	2/2009	Wang	D14/356
D590,018 S *	4/2009	Nash et al.	D19/52
D624,914 S *	10/2010	Wang	D14/371
D625,726 S *	10/2010	Crisp et al.	D14/389
D629,400 S	12/2010	Harper		
D631,047 S	1/2011	Hirota		
D634,319 S *	3/2011	Andre et al.	D14/341
D648,723 S	11/2011	Harper		
D662,094 S *	6/2012	Mack et al.	D14/388
D671,940 S *	12/2012	Kim	D14/374
D672,345 S *	12/2012	Li	D14/341
D673,561 S *	1/2013	Hyun et al.	D14/341
2013/0082937 A1 *	4/2013	Liu et al.	345/173
2013/0082979 A1 *	4/2013	Rabu et al.	345/175

FOREIGN PATENT DOCUMENTS

JP	D1372958 S	11/2009
JP	D1372960 S	11/2009
JP	D1372961 S	11/2009
JP	D1372962 S	11/2009

OTHER PUBLICATIONS

“Virtuoso T5000 (Kanvus Virtuoso T5000),” Product Information, Kanvus, Jhonghe City, Taiwan, <http://www.kanvus-global.com/main/prod_in.aspx?mnuid=1524&modid=26&prodid=454&flag=1> [retrieved Feb. 13, 2013].

* cited by examiner

Primary Examiner — Barbara Fox

Assistant Examiner — Katie Mroczka

(74) *Attorney, Agent, or Firm* — Christensen O’Connor Johnson Kindness PLLC



(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a coordinate input device showing our new design; FIG. 2 is a rear elevation view thereof; FIG. 3 is a left side elevation view thereof; FIG. 4 is a right side elevation view thereof; FIG. 5 is a top plan view thereof, wherein the bottom plan view is the same as the top plan view; FIG. 6 is a top front left isometric view thereof; and, FIG. 7 is a close up view of portion A-A of FIG. 6. The broken lines shown in the figures that are immediately adjacent to the shaded areas and define unshaded regions, represent the bounds of the claim; the broken lines form no part of the claimed design.

1 Claim, 5 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.



Fig. 5.




Fig. 6.




Fig. 7.