



US00D690894S

(12) **United States Design Patent**
Simmons et al.

(10) **Patent No.:** **US D690,894 S**
(45) **Date of Patent:** **** Oct. 1, 2013**

(54) **CREMATION REMAINS KEEPSAKE CHARM**

(75) Inventors: **Lori Simmons**, St. Louis, MO (US); **Jill Kenik**, Chepachet, RI (US)

(73) Assignee: **Kap-Lind Enterprises, Inc.**, St. Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/423,108**

(22) Filed: **May 29, 2012**

(51) **LOC (9) Cl.** **99-00**

(52) **U.S. Cl.**
USPC **D99/5**

(58) **Field of Classification Search**

USPC D99/5, 8, 25, 17; 27/1; D11/79,
D11/80, 82, 86, 87; D30/155; 40/124.5;
63/18, 20, 1.14, 1.4; D10/37; 368/288, 306;
220/315

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

262,080	A *	8/1882	McLeary	40/6
601,869	A *	4/1898	Busch	40/625
632,938	A *	9/1899	Greenberg	40/27.5
692,650	A *	2/1902	Fisher	206/1.5
767,836	A *	8/1904	Rice	63/19
811,705	A *	2/1906	Eaton	368/306
1,001,463	A *	8/1911	Shepherd	368/306
1,061,364	A *	5/1913	Ewing	63/19
1,288,835	A *	12/1918	Chilson	63/19
1,362,384	A *	12/1920	Benjamin et al.	63/18
2,340,402	A *	2/1944	Mitchel	40/1.5
2,762,146	A *	9/1956	Milazzo	40/1.5
2,956,422	A *	10/1960	Davidson	63/13
D203,737	S *	2/1966	Friedman	D99/34
3,407,523	A *	10/1968	Winston	40/1.5
3,618,336	A *	11/1971	Sauer	62/451
3,618,338	A *	11/1971	Sauer	63/19
3,678,705	A *	7/1972	Korwin	63/18

4,283,831	A *	8/1981	Jhono	29/423
4,399,910	A *	8/1983	Gutentag	206/0.82
4,435,963	A *	3/1984	Shigeru	63/18
4,848,014	A *	7/1989	Yesbick	40/124.5
D311,504	S *	10/1990	De Frahan	D11/79
D358,251	S *	5/1995	Bettis	D3/208

(Continued)

Primary Examiner — Paula Greene

(74) Attorney, Agent, or Firm — Thompson Coburn LLP

(57) **CLAIM**

The ornamental design for a cremation remains keepsake charm, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cremation remains keepsake charm showing our new design comprising a receiver and an insert which is received in the receiver;

FIG. 2 is a top plan view of the keepsake charm of FIG. 1 with the insert received in the receiver;

FIG. 3 is a right side elevational view of the keepsake charm of FIG. 1, the left side view being a mirror image of the view of FIG. 3;

FIG. 4 is a front elevational view of the keepsake charm of FIG. 1;

FIG. 5 is a rear elevational view of the keepsake charm of FIG. 1;


FIG. 6 is a bottom plan view of the keepsake charm of FIG. 1; FIG. 7 is a side elevational view of the insert of the charm in FIG. 1 drawn separately for purposes of illustration, the opposite side is a mirror image thereof;

FIG. 8 is a top view of the insert of the charm in FIG. 1 drawn separately for purposes of illustration, the bottom is a mirror image thereof; and,

FIG. 9 is a top plan view of the keepsake charm of FIG. 1 with the insert removed from the receiver.

The dashed lines within the figures form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,414,948 A * 5/1995 Kudo 40/651

D383,702 S * 9/1997 MacDonald D11/79

D404,334 S * 1/1999 Welsh D11/26

D406,396 S * 3/1999 Granwehr D28/76

5,950,287 A * 9/1999 Cacciatore et al. 27/1

6,155,409 A * 12/2000 Hettinger 206/38

D538,196 S * 3/2007 Lee D11/79

D558,635 S * 1/2008 Glassman D11/80

D635,483 S * 4/2011 Charles et al. D11/79

8,281,465 B1 * 10/2012 Miraldi 27/1

* cited by examiner




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5



FIG. 7




FIG. 8




FIG. 6




FIG. 9