



US00D690938S

(12) **United States Design Patent**  
**Willows et al.**

(10) **Patent No.:** **US D690,938 S**

(45) **Date of Patent:** **\*\* Oct. 8, 2013**

(54) **POUCH**

(75) Inventors: **Keith S. Willows**, Seattle, WA (US);  
**June A. Angus**, Seattle, WA (US);  
**Antonio Del Rosario**, Bellevue, WA (US)

(73) Assignee: **Amphipod, Inc.**, Seattle, WA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/430,320**

(22) Filed: **Aug. 23, 2012**

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/303**

(58) **Field of Classification Search**  
USPC ..... D3/234, 255, 271.9, 320, 256, 262,  
D3/279, 299, 301, 303, 318, 319, 273, 289,  
D3/292, 294-296, 232, 244, 228; D9/424,  
D9/420; D27/189; 206/349; 220/833;  
312/902; 190/100; 150/100, 107, 118  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |                  |       |           |
|--------------|---------|------------------|-------|-----------|
| D89,545 S *  | 3/1933  | Jahncke          | ..... | D3/234    |
| D318,949 S * | 8/1991  | Mawhinney et al. | ..... | D12/422   |
| D409,380 S   | 5/1999  | Angus et al.     |       |           |
| D409,385 S * | 5/1999  | Pearson et al.   | ..... | D3/301    |
| D415,892 S   | 11/1999 | Angus et al.     |       |           |
| D448,925 S   | 10/2001 | Willows et al.   |       |           |
| D458,021 S   | 6/2002  | Willows et al.   |       |           |
| D459,876 S * | 7/2002  | Smith            | ..... | D3/226    |
| D467,079 S * | 12/2002 | Willows et al.   | ..... | D3/303    |
| D484,307 S   | 12/2003 | Willows et al.   |       |           |
| 6,698,636 B2 | 3/2004  | Angus et al.     |       |           |
| D543,696 S * | 6/2007  | Dodier           | ..... | D3/226    |
| D549,119 S * | 8/2007  | Becker           | ..... | D10/104.1 |
| D592,398 S * | 5/2009  | Roesler          | ..... | D3/294    |
| D599,547 S * | 9/2009  | Lown et al.      | ..... | D3/267    |

|              |         |          |       |        |
|--------------|---------|----------|-------|--------|
| D635,355 S * | 4/2011  | Smith    | ..... | D3/232 |
| D655,083 S * | 3/2012  | Delger   | ..... | D3/247 |
| D672,143 S * | 12/2012 | Buie, II | ..... | D3/262 |

\* cited by examiner

*Primary Examiner* — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Lowe Graham Jones PLLC

(57) **CLAIM**

We claim the ornamental design for a pouch, as shown and described.

**DESCRIPTION**

FIGS. 1-7 are views of a first embodiment of a pouch, showing our new design.

FIG. 1 is a perspective view of the pouch.

FIG. 2 is a front view of the pouch.

FIG. 3 is a left side view of the pouch.

FIG. 4 is a right side view of the pouch.

FIG. 5 is a top view of the pouch.

FIG. 6 is a bottom view of the pouch.

FIG. 7 is a back view of the pouch.

FIGS. 8-14 are views of a second embodiment of a pouch showing our new design.

FIG. 8 is a perspective view of the pouch.

FIG. 9 is a front view of the pouch.

FIG. 10 is a left side view of the pouch.

FIG. 11 is a right side view of the pouch.


FIG. 12 is a top view of the pouch.

FIG. 13 is a bottom view of the pouch; and,

FIG. 14 is a back view of the pouch.

The pouch is formed from nonrigid materials and is shown in a substantially flattened configuration. Features illustrated in phantom lines are intended to show a preferred environment for the pouch and form no part of claimed invention. Aspects illustrated in phantom lines include a logo tab, zipper, and zipper pull as visible in FIGS. 1-6 and 8-13; and holes formed in a back panel material as visible in FIGS. 7 and 14.

**1 Claim, 10 Drawing Sheets**






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG.8




FIG.9






FIG. 10




FIG. 11




FIG.12




FIG.13




FIG.14