



US00D690961S

(12) **United States Design Patent**
Chou

(10) **Patent No.:** **US D690,961 S**

(45) **Date of Patent:** **** Oct. 8, 2013**

(54) **PARTITION FOR ROLLER CURTAIN
CONTROLLER**

(71) Applicant: **Tser Wen Chou**, Taipei (TW)

(72) Inventor: **Tser Wen Chou**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/439,303**

(22) Filed: **Dec. 10, 2012**

(51) **LOC (9) Cl.** **06-10**

(52) **U.S. Cl.**
USPC **D6/580**

(58) **Field of Classification Search**
USPC D6/575-580; D8/349, 352, 353,
D8/368, 369, 376, 356; 160/84.01-84.08,
160/107, 108, 111, 113, 130, 133, 166.1,
160/168.1 R, 199, 330
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|------------------|-----------|
| 3,783,551 | A * | 1/1974 | Allison et al. | 446/222 |
| D288,463 | S * | 2/1987 | Udelhofen | D21/839 |
| D288,464 | S * | 2/1987 | Udelhofen | D21/839 |
| 4,760,624 | A * | 8/1988 | Fish | 24/30.5 S |
| D305,927 | S * | 2/1990 | Linderman et al. | D23/249 |
| D329,192 | S * | 9/1992 | Susac | D8/349 |
| D335,441 | S * | 5/1993 | Fraker et al. | D8/369 |
| D359,229 | S * | 6/1995 | Jules | D8/395 |
| D386,545 | S * | 11/1997 | Guegan et al. | D21/484 |

| | | | | |
|-----------|------|---------|-----------------|-----------|
| 5,852,851 | A * | 12/1998 | Cooper | 24/30.5 R |
| D412,203 | S * | 7/1999 | Pitsch et al. | D23/254 |
| D430,204 | S * | 8/2000 | Berracasa | D19/32 |
| D534,416 | S * | 1/2007 | Kelleghan | D8/356 |
| D571,639 | S * | 6/2008 | Whitney, Jr. | D8/352 |
| D601,879 | S * | 10/2009 | Kim et al. | D8/356 |
| D609,552 | S * | 2/2010 | Anderson et al. | D8/349 |
| D637,063 | S * | 5/2011 | Gaudron et al. | D8/349 |
| 8,342,472 | B2 * | 1/2013 | Gaudron et al. | 248/476 |

* cited by examiner

Primary Examiner — Karen S Acker

(74) *Attorney, Agent, or Firm* — Ming Chow; Sinorica, LLC


(57) **CLAIM**

The ornamental design for a partition for roller curtain controller, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a partition for roller curtain controller;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof; and,
 FIG. 8 is a perspective view of the design of FIG. 1 in a position of use mounted at one end of a roller curtain controller drawn in broken line.
 The broken lines in the drawings represent environmental structure that forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG.1




FIG.3




FIG.2




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG.8