

US00D691218S

(12) **United States Design Patent**  
**Kinsbourne et al.**

(10) **Patent No.:** **US D691,218 S**

(45) **Date of Patent:** **\*\* Oct. 8, 2013**

(54) **QUICK ADJUST RESISTANCE BAND**

(76) Inventors: **Daniel Kinsbourne**, Ridgefield, CT  
(US); **William Phelps**, Tarrytown, NY  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/414,012**

(22) Filed: **Feb. 23, 2012**

(51) **LOC (9) Cl.** ..... **21-02**

(52) **U.S. Cl.**  
USPC ..... **D21/662; D21/692; D8/107; D30/153**

(58) **Field of Classification Search**  
USPC ..... D21/662, 672, 684, 686, 692, 694,  
D21/798; 482/121, 124, 126, 130, 139; D8/83,  
D8/107, 300, 303, 313, 321; D30/153;  
119/795, 796, 798; 16/421, 430

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,314,504	A *	3/1943	Lifchultz	.....	242/379.2
D250,630	S *	12/1978	Allegretti	.....	D8/107
D275,979	S *	10/1984	Eischen, Sr.	.....	D21/662
D281,631	S *	12/1985	Konar	.....	D30/153
D287,868	S *	1/1987	Whaley	.....	D21/672
D362,519	S *	9/1995	Jacobsen et al.	.....	D30/153
D384,873	S *	10/1997	Aquilina	.....	D8/107
5,740,764	A *	4/1998	Jacobsen	.....	119/798
6,314,917	B1 *	11/2001	Ryan	.....	119/796
D475,601	S *	6/2003	Huang	.....	D8/107
6,692,415	B1 *	2/2004	Winston	.....	482/126
D500,101	S *	12/2004	Fitzgerald et al.	.....	D21/692
D527,495	S *	8/2006	Bird	.....	D30/153
7,347,276	B2 *	3/2008	Basek	.....	172/25
7,455,632	B2 *	11/2008	Block et al.	.....	482/126

7,503,883	B2 *	3/2009	Madden	.....	482/126
7,625,324	B1 *	12/2009	Hinds et al.	.....	482/126
7,740,570	B2 *	6/2010	Winston	.....	482/121
D618,973	S *	7/2010	Gosselin	.....	D8/10
8,105,214	B2 *	1/2012	Jahns	.....	482/110
2008/0216767	A1 *	9/2008	Wang	.....	119/795

\* cited by examiner

*Primary Examiner* — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Edwards Wildman Palmer  
LLP; David J. Silvia


(57) **CLAIM**

The ornamental design for a quick adjust resistance band, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an ornamental design for a quick adjust resistance band of the present invention; FIG. 2 is a front view of an ornamental design for a quick adjust resistance band of the present invention; FIG. 3 is a rear view of an ornamental design for a quick adjust resistance band of the present invention; FIG. 4 is a left side view of an ornamental design for a quick adjust resistance band, the right side view being identical, but reversed; FIG. 5 is a top view of an ornamental design for a quick adjust resistance band; and, FIG. 6 is a bottom view of an ornamental design for a quick adjust resistance band. The broken lines illustrate environmental structure and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6