

US00D691249S

(12) **United States Design Patent**
Obara

(10) **Patent No.:** **US D691,249 S**

(45) **Date of Patent:** **** Oct. 8, 2013**

(54) **TOILET SEAT WITH CLEANING FUNCTION**

D659,812 S * 5/2012 Shek D23/311

(75) Inventor: **Mitsuya Obara**, Kitakyushu (JP)

* cited by examiner

(73) Assignee: **Toto Ltd.** (JP)

Primary Examiner — Robert Delehanty

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(21) Appl. No.: **29/418,770**

(57) **CLAIM**

The ornamental design for a toilet seat with cleaning function, as shown and described.

(22) Filed: **Apr. 20, 2012**

DESCRIPTION

(51) **LOC (9) Cl.** **23-02**

FIG. 1 is a perspective view of front, top and right side of a toilet seat with cleaning function according to our new design;

(52) **U.S. Cl.**
USPC **D23/311**

FIG. 2 is a front view thereof;

(58) **Field of Classification Search**
USPC D23/295, 311; 4/234, 237, 239,
4/242.1

FIG. 3 is a rear view thereof;

See application file for complete search history.

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.


The portions of the article in broken lines are shown for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D618,325 S * 6/2010 Deng D23/311
8,024,821 B2 * 9/2011 Chen 4/236

1 Claim, 5 Drawing Sheets






Fig. 1

Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

