



US00D691275S

(12) **United States Design Patent**
Weinitschke

(10) **Patent No.:** **US D691,275 S**
(45) **Date of Patent:** **** Oct. 8, 2013**

(54) **COMBINED SPEECH AID AND BASE FOR TRACHEOSTOMY AND LARYNGECTOMY PATIENTS**

(75) Inventor: **Bodo Weinitschke**, Troisdorf (DE)

(73) Assignee: **Servona GmbH**, Troisdorf (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/392,192**

(22) Filed: **May 18, 2011**

(30) **Foreign Application Priority Data**

Nov. 18, 2010 (EM) 001245567

(51) **LOC (9) Cl.** **24-99**

(52) **U.S. Cl.**
USPC **D24/175**

(58) **Field of Classification Search**
USPC D24/173–175; D14/228, 229; 381/53,
381/70; 623/9; 600/23; 704/271
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,028,492	A *	6/1977	Sickel	381/70
D343,902	S *	2/1994	Kosanke et al.	D24/175
D358,214	S *	5/1995	Breski	D24/175
5,812,681	A *	9/1998	Griffin	381/70
6,252,966	B1 *	6/2001	Griffin	381/70
D624,187	S *	9/2010	Borregaard	D24/174
D625,418	S *	10/2010	Borregaard	D24/174
2003/0031325	A1 *	2/2003	Lukacovic	381/70

* cited by examiner

Primary Examiner — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Renner, Otto, Boisselle & Sklar, LLP

(57) **CLAIM**

The ornamental design for a combined speech aid and base for tracheostomy and laryngectomy patients, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a speech aid member of a combined speech aid and base for tracheostomy and laryngectomy patients;

FIG. 2 is a right side view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front view of a base member of a combined speech aid and base for tracheostomy and laryngectomy patients;

FIG. 8 is a left side view thereof;

FIG. 9 is a right side view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a top view thereof;

FIG. 12 is a bottom view thereof;

FIG. 13 is a perspective view thereof, shown in an environment of use;

FIG. 14 is a front view of a combined speech aid and base for tracheostomy and laryngectomy patients;

FIG. 15 is a left side view thereof;

FIG. 16 is a right side view thereof;

FIG. 17 is a rear view thereof;


FIG. 18 is a top view thereof;

FIG. 19 is a perspective view thereof; and,

FIG. 20 is another perspective view thereof.

The broken lines showing the rechargeable battery in FIG. 13 represent the environment. Other broken lines in the drawing views are included for the purpose of illustrating portions of the combined speech aid and base for tracheostomy and laryngectomy patients that form no part of the claimed design. None of the broken lines form a part of the claimed design.

1 Claim, 20 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20