



US00D691290S

(12) **United States Design Patent**
Carroll et al.

(10) **Patent No.:** **US D691,290 S**

(45) **Date of Patent:** **** Oct. 8, 2013**

(54) **LED-BASED LIGHT BULB WITH MULTIPLE STEMS**

(75) Inventors: **David W. Carroll**, Grantsburg, WI (US);
Wendell Carroll, Minneapolis, MN (US)

(73) Assignee: **Forever Bulb, LLC**, Grantsburg, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/410,217**

(22) Filed: **Jan. 5, 2012**

(51) **LOC (9) Cl.** **26-04**

(52) **U.S. Cl.**
USPC **D26/2**

(58) **Field of Classification Search**
USPC D26/1-4; 313/313, 315, 316, 317,
313/318, 493; 315/52, 53, 56, 57, 58
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,162,696	A	11/1992	Goodrich	
5,806,965	A	9/1998	Deese	
6,220,722	B1	4/2001	Begemann	
6,343,871	B1	2/2002	Yu	
6,367,949	B1	4/2002	Pederson	
6,462,475	B1	10/2002	Lee	
6,739,734	B1	5/2004	Hulgan	
7,086,756	B2	8/2006	Maxik	
D529,202	S	9/2006	Nagai et al.	
D531,741	S *	11/2006	Takahashi	D26/2
D534,665	S	1/2007	Egawa et al.	
D535,038	S *	1/2007	Egawa et al.	D26/2
D538,953	S	3/2007	Mama	

D541,440	S *	4/2007	Feit	D26/2
7,217,956	B2	5/2007	Daniels et al.	
7,259,030	B2	8/2007	Daniels et al.	
D553,267	S *	10/2007	Yuen	D26/2
7,318,661	B2	1/2008	Catalano	
7,319,293	B2	1/2008	Maxik	
D574,091	S *	7/2008	Sun	D26/2
D581,066	S	11/2008	Van Dyn Hoven	
D582,577	S *	12/2008	Yuen	D26/2
D601,278	S	9/2009	Takahashi	
7,588,351	B2	9/2009	Meyer	
D617,915	S	6/2010	Wada et al.	
7,726,836	B2	6/2010	Chen	
7,736,020	B2	6/2010	Baroky et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

DE	102007056874	A1	5/2009
JP	2005310561	A	11/2005
WO	2005090852	A2	9/2005
WO	2009149263	A1	12/2009

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Dicke, Billig & Czaja, PLLC


(57) **CLAIM**

The ornamental design for an LED-based light bulb with multiple stems, as shown and described herein.

DESCRIPTION

FIG. 1 is a perspective view of an LED-based light bulb with multiple stems in accordance with the present disclosure; FIG. 2 is a bottom plan view of the light bulb of FIG. 1; FIG. 3 is a top plan view of the light bulb of FIG. 1; FIG. 4 is a front plan view of the light bulb of FIG. 1; FIG. 5 is a rear plan view of the light bulb of FIG. 1; and, FIG. 6 is a side view of the light bulb of FIG. 1.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D633,226 S 2/2011 Katsaros
D654,602 S 2/2012 Carroll et al.
D668,797 S * 10/2012 Xu D26/2
2002/0021573 A1 2/2002 Zhang
2002/0176253 A1 11/2002 Lee
2003/0031015 A1 2/2003 Ishibashi
2003/0090910 A1 5/2003 Chen
2003/0117803 A1 6/2003 Chen
2003/0174499 A1 9/2003 Bohlander
2004/0037080 A1 2/2004 Luk et al.
2005/0030761 A1 2/2005 Burgess

2005/0174769 A1 8/2005 Yong et al.
2005/0207152 A1 9/2005 Maxik
2005/0207159 A1 9/2005 Maxik
2006/0012997 A1 1/2006 Catalano et al.
2006/0221606 A1 10/2006 Dowling
2006/0285325 A1 12/2006 Ducharme et al.
2006/0291256 A1 12/2006 Cobbler
2007/0103914 A1 5/2007 McCaffrey
2007/0291482 A1 12/2007 Baroky et al.
2008/0024070 A1 1/2008 Catalano et al.
2008/0285279 A1 11/2008 Ng et al.
2009/0086492 A1 4/2009 Meyer
2010/0301353 A1 12/2010 Pabst et al.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6