



US00D691304S

(12) **United States Design Patent**
Choi

(10) **Patent No.:** **US D691,304 S**

(45) **Date of Patent:** **** Oct. 8, 2013**

(54) **REAR COMBINATION LAMP FOR A VEHICLE**

(71) Applicant: **GM Global Technology Operations, LLC, Detroit, MI (US)**

(72) Inventor: **Lee-yong Choi, Incheon (KR)**

(73) Assignee: **GM Global Technology Operations, LLC, Detroit, MI (US)**

(**) Term: **14 Years**

(21) Appl. No.: **29/446,033**

(22) Filed: **Feb. 20, 2013**

(30) **Foreign Application Priority Data**

Aug. 21, 2012 (KR) 30-2012-0040010

(51) **LOC (9) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D26/28-36; 362/459-468, 475-478,
362/485-487
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D541,445 S * 4/2007 Lin D26/28
D549,363 S * 8/2007 Pfeiffer D26/28

D552,769 S * 10/2007 Leclercq D26/28
D553,268 S * 10/2007 Pfeiffer D26/28
D553,269 S * 10/2007 Pfeiffer et al. D26/28
D574,524 S * 8/2008 Tomatsu D26/28
D605,793 S * 12/2009 Weil D26/28
D620,157 S * 7/2010 Frenzel et al. D26/28

* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Jansson Munger McKinley & Shape Ltd.

(57) **CLAIM**

The ornamental design of a rear combination lamp for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the rear combination lamp for a vehicle of the present design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The design can be embodied with plastics, glass and metal. This rear combination lamp is arranged in the rear of the car. This design is characterized in the shape and configuration of the rear combination lamp for a vehicle.

1 Claim, 7 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6





Fig. 7



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D691,304 S
APPLICATION NO. : 29/446033
DATED : October 8, 2013
INVENTOR(S) : Choi

Page 1 of 9

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title page, showing the illustrative figure, should be deleted and substitute therefor the attached Title page.

Delete figs. 1-7 and substitute therefor the drawing sheets, consisting of figs. 1-7 as shown on the attached pages.

Signed and Sealed this
First Day of December, 2015



Michelle K. Lee
Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) **Patent No.:** **US D691,304 S**
Choi (45) **Date of Patent:** **** Oct. 8, 2013**

(54) **REAR COMBINATION LAMP FOR A VEHICLE**

(71) Applicant: **GM Global Technology Operations, LLC, Detroit, MI (US)**

(72) Inventor: **Lee-yong Choi, Incheon (KR)**

(73) Assignee: **GM Global Technology Operations, LLC, Detroit, MI (US)**

(**) Term: **14 Years**

(21) Appl. No.: **29/446,033**

(22) Filed: **Feb. 20, 2013**

(30) **Foreign Application Priority Data**

Aug. 21, 2012 (KR) 30-2012-0040910

(51) **LOC (9) Cl.** **26-06**

(52) **U.S. Cl.**
 USPC **D26/28**

(58) **Field of Classification Search**
 USPC D26/28-36; 362/459-468, 475-478, 362/485-487
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D541,445 S * 4/2007 Tin D26/28
 D549,363 S * 8/2007 Pfeiffer D26/28

D552,769 S * 10/2007 Leclercq D26/28
 D553,268 S * 10/2007 Pfeiffer D26/28
 D553,269 S * 10/2007 Pfeiffer et al. D26/28
 D574,524 S * 8/2008 Tomatsu D26/28
 D605,793 S * 12/2009 Weil D26/28
 D620,157 S * 7/2010 Frenzel et al. D26/28

* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Jansson Munger McKinley & Shape Ltd.

(57) **CLAIM**

The ornamental design of a rear combination lamp for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the rear combination lamp for a vehicle of the present design;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a left side elevation view thereof;
 FIG. 5 is a right side elevation view thereof;
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a bottom plan view thereof.
 The design can be embodied with plastics, glass and metal. This rear combination lamp is arranged in the rear of the car. This design is characterized in the shape and configuration of the rear combination lamp for a vehicle.

1 Claim, 7 Drawing Sheets




Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

