

US00D691319S

(12) **United States Design Patent**
Guercio et al.

(10) **Patent No.:** **US D691,319 S**

(45) **Date of Patent:** **** Oct. 8, 2013**

- (54) **LED ENTRY LIGHT FIXTURE**
- (75) Inventors: **Vincenzo Guercio**, Wallkill, NY (US);
Wengang Gao, Ningbo (CN)
- (73) Assignee: **RAB Lighting Inc.**, Northvale, NJ (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/432,072**
- (22) Filed: **Sep. 13, 2012**
- (51) **LOC (9) Cl.** **26-03**
- (52) **U.S. Cl.**
USPC **D26/85**
- (58) **Field of Classification Search**
USPC D26/72, 85-87, 92, 118; 362/147,
362/432
See application file for complete search history.

- D527,483 S * 8/2006 McCarthy, III D26/85
- D569,029 S * 5/2008 Guercio
- D577,146 S * 9/2008 Haugaard
- D589,196 S * 3/2009 Stone et al. D26/72
- D626,270 S * 10/2010 Waldmann D26/85
- D627,094 S * 11/2010 Verelst D26/85

* cited by examiner

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — SmithAmundsen LLC;
Dennis S. Schell

(57) **CLAIM**

The ornamental design for an LED entry light fixture, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an embodiment of the new design;
 FIG. 2 is a front view of the embodiment;
 FIG. 3 is a left side view of the embodiment;
 FIG. 4 is a top view of the embodiment
 FIG. 5 is a bottom view of the embodiment;
 FIG. 6 is a rear view of the embodiment; and,
 FIG. 7 is a rear perspective view of the embodiment.



The design consists of the features of shape, ornament and configuration of the article shown in the drawings. The broken lines shown in the drawings are for the purposes of illustrating portions of the article that form no part of the claimed design. The right side view is a mirror image of the left side view and is therefore omitted.

1 Claim, 6 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D114,805 S 5/1939 Brooks
- D151,626 S * 11/1948 Kress D26/85
- D213,391 S * 2/1969 Bruno D26/86
- 3,457,396 A * 7/1969 Mrsny 362/485
- D236,647 S * 9/1975 Stewart D26/85
- 4,217,629 A * 8/1980 Russell 362/147
- D307,328 S * 4/1990 Roulstone D26/85
- D346,870 S * 5/1994 Houssian D26/26
- D380,572 S * 7/1997 Bodell et al. D26/85
- D527,135 S * 8/2006 McCarthy, III D26/85






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7