



US00D691372S

(12) **United States Design Patent**  
**Chun**

(10) **Patent No.:** **US D691,372 S**

(45) **Date of Patent:** **\*\* Oct. 15, 2013**

(54) **COMBINED EARPHONE STORAGE CASE AND STAND**

(74) *Attorney, Agent, or Firm* — Dean A Craine; Marisa Whitaker

(71) Applicant: **James K Chun**, Fremont, CA (US)

(72) Inventor: **James K Chun**, Fremont, CA (US)

(57) **CLAIM**

(\*\*) Term: **14 Years**

The ornamental design for a combined earphone storage case and stand.

(21) Appl. No.: **29/438,051**

(22) Filed: **Nov. 26, 2012**

**DESCRIPTION**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/417,484, filed on Apr. 4, 2012, now Pat. No. Des. 682,550.

FIG. 1 is a front perspective view of a combined earphone storage case and stand shown in an unfolded position.

(51) **LOC (9) Cl.** ..... **03-01**

FIG. 2 is a rear perspective view of a combined earphone storage case and stand shown in an unfolded position.

(52) **U.S. Cl.**

USPC ..... **D3/294**

FIG. 3 is a front elevation view of the invention shown in FIGS. 1 and 2.

(58) **Field of Classification Search**

USPC ..... D3/293–295, 273, 302, 905, 276, 283, D3/201; 206/349, 372; D7/629; D30/133; D9/420; 220/523, 4.21, 4.22

FIG. 4 is a rear elevation view of the invention shown in FIGS. 1 and 2.

See application file for complete search history.

FIG. 5 is a side rear elevation view of the invention shown in FIGS. 1 and 2.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D281,033	S	*	10/1985	Mohri	.....	D3/295
D315,057	S	*	3/1991	Bridges	.....	D3/295
D333,560	S	*	3/1993	Miyashita et al.	.....	D3/294
D333,917	S	*	3/1993	Daido et al.	.....	D3/294
D529,288	S	*	10/2006	Ham	.....	D3/294
D620,257	S	*	7/2010	Fujimura et al.	.....	D3/294
D639,286	S	*	6/2011	Mohoney	.....	D14/250
D659,991	S	*	5/2012	Long et al.	.....	D3/201
D663,943	S	*	7/2012	Walsh et al.	.....	D3/203.1
2007/0256946	A1	*	11/2007	Godshaw et al.	.....	206/320

FIG. 6 is a front perspective view of a combined earphone storage case and stand shown in a folded position.

FIG. 7 is a rear elevation view of the invention shown in FIG. 6.

FIG. 8 is a front elevation view of the invention shown in FIG. 6.

FIG. 9 is a right side elevation view of the invention shown in FIG. 6.

FIG. 10 is a top plan view of the invention shown in FIG. 6; and,



FIG. 11 is a bottom plan view of the invention shown in FIG. 7.

The broken lines represent portions of the article and form no part of the claimed design.

\* cited by examiner

*Primary Examiner* — Sheryl Lane

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11